

Enterprise Vault™ Upgrade Instructions

12.3

Enterprise Vault™: Upgrade Instructions

Last updated: 2018-03-15.

Legal Notice

Copyright © 2018 Veritas Technologies LLC. All rights reserved.

Veritas, the Veritas Logo, Enterprise Vault, Compliance Accelerator, and Discovery Accelerator are trademarks or registered trademarks of Veritas Technologies LLC or its affiliates in the U.S. and other countries. Other names may be trademarks of their respective owners.

This product may contain third-party software for which Veritas is required to provide attribution to the third party ("Third-party Programs"). Some of the Third-party Programs are available under open source or free software licenses. The License Agreement accompanying the Software does not alter any rights or obligations you may have under those open source or free software licenses. Refer to the Third-party Legal Notices document accompanying this Veritas product or available at:

<https://www.veritas.com/about/legal/license-agreements>

The product described in this document is distributed under licenses restricting its use, copying, distribution, and decompilation/reverse engineering. No part of this document may be reproduced in any form by any means without prior written authorization of Veritas Technologies LLC and its licensors, if any.

THE DOCUMENTATION IS PROVIDED "AS IS" AND ALL EXPRESS OR IMPLIED CONDITIONS, REPRESENTATIONS AND WARRANTIES, INCLUDING ANY IMPLIED WARRANTY OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT, ARE DISCLAIMED, EXCEPT TO THE EXTENT THAT SUCH DISCLAIMERS ARE HELD TO BE LEGALLY INVALID. VERITAS TECHNOLOGIES LLC SHALL NOT BE LIABLE FOR INCIDENTAL OR CONSEQUENTIAL DAMAGES IN CONNECTION WITH THE FURNISHING, PERFORMANCE, OR USE OF THIS DOCUMENTATION. THE INFORMATION CONTAINED IN THIS DOCUMENTATION IS SUBJECT TO CHANGE WITHOUT NOTICE.

The Licensed Software and Documentation are deemed to be commercial computer software as defined in FAR 12.212 and subject to restricted rights as defined in FAR Section 52.227-19 "Commercial Computer Software - Restricted Rights" and DFARS 227.7202, et seq. "Commercial Computer Software and Commercial Computer Software Documentation," as applicable, and any successor regulations, whether delivered by Veritas as on-premises or hosted services. Any use, modification, reproduction release, performance, display or disclosure of the Licensed Software and Documentation by the U.S. Government shall be solely in accordance with the terms of this Agreement.

Veritas Technologies LLC
500 E Middlefield Road
Mountain View, CA 94043

<https://www.veritas.com>

Technical Support

Technical Support maintains support centers globally. All support services will be delivered in accordance with your support agreement and the then-current enterprise technical support policies. For information about our support offerings and how to contact Technical Support, visit our website:

<https://www.veritas.com/support>

You can manage your Veritas account information at the following URL:

<https://my.veritas.com>

If you have questions regarding an existing support agreement, please email the support agreement administration team for your region as follows:

Worldwide (except Japan)

CustomerCare@veritas.com

Japan

CustomerCare_Japan@veritas.com

Before you contact Technical Support, run the Veritas Quick Assist (VQA) tool to make sure that you have satisfied the system requirements that are listed in your product documentation. You can download VQA from the following article on the Veritas Support website:

https://www.veritas.com/support/en_US/vqa

Documentation

Make sure that you have the current version of the documentation. Each document displays the date of the last update on page 2. The latest documentation is available on the Veritas website:

<https://www.veritas.com/docs/100040095>

Documentation feedback

Your feedback is important to us. Suggest improvements or report errors or omissions to the documentation. Include the document title, document version, chapter title, and section title of the text on which you are reporting. Send feedback to:

evdocs@veritas.com

You can also see documentation information or ask a question on the Veritas community site:

<https://www.veritas.com/community>

Contents

Chapter 1	About this guide	9
	Introducing this guide	9
	Where to get more information about Enterprise Vault	9
	Enterprise Vault training modules	12
Chapter 2	Before you begin	13
	Server upgrade paths	13
	Documentation	13
Chapter 3	Points to note when upgrading	14
	Order of upgrade in an environment with Compliance Accelerator or Discovery Accelerator	14
	Silently installing Enterprise Vault from the command line	16
	Installing Outlook on the Enterprise Vault server	16
	Upgrading to Outlook 2013 SP1 or 2016	17
	Securing Enterprise Vault web applications	18
	Weak protocols and ciphers are blocked	19
	Improved consistency when applying a retention period to items	20
	Limiting the impact when updating moved item locations	22
	Classification using Microsoft File Classification Infrastructure on Windows Server 2016	23
	Data Classification Services does not support all the types of retention categories available in Enterprise Vault 12.3	23
	eDiscovery Platform compatibility with Enterprise Vault	24
	Additional points to note when upgrading from Enterprise Vault 11.0 or 11.0.1	24
	Vault Service account requires a new SQL permission	24
	Enterprise Vault 12.3 requires uniform SQL collation	24
	Enabling fast browsing for Enterprise Vault Search	24
	Automatic migration of content conversion settings	25
Chapter 4	Steps to upgrade your system	27
	Overview of the upgrade process	27

Chapter 5	Enterprise Vault server preparation	29
	About Enterprise Vault server preparation	29
	Backing up the system	30
	Backing up Enterprise Vault data	30
	Backing up changed language files	31
	Updating required Windows features	31
	Running Enterprise Vault Deployment Scanner	31
	Setting database permissions	32
	Allowing the MSMQ queues to empty	32
	Checking the archiving and expiry schedules	33
Chapter 6	Single server: upgrading the Enterprise Vault server software	34
	About upgrading a single Enterprise Vault server	34
	Installing on a single server	34
	Upgrading the Enterprise Vault databases	36
	Backing up the upgraded Enterprise Vault databases	37
	Starting all the Enterprise Vault services	37
Chapter 7	Multiple servers: upgrading the Enterprise Vault server software	38
	About upgrading multiple Enterprise Vault servers	38
	Installing on multiple servers	38
	Upgrading the Enterprise Vault databases	40
	Backing up the upgraded Enterprise Vault databases	41
	Starting all the Enterprise Vault services	41
Chapter 8	Veritas Cluster Server: upgrading the Enterprise Vault server software	42
	About upgrading a Veritas cluster	42
	Installing the Enterprise Vault server software	42
	Upgrading the Enterprise Vault databases	45
	Backing up the upgraded Enterprise Vault databases	45
	Starting all the Enterprise Vault services	45
Chapter 9	Windows Server Failover Clustering: upgrading the Enterprise Vault server software	47
	About upgrading a Windows Server Failover Cluster	47
	Installing the Enterprise Vault server software	48

	Upgrading the Enterprise Vault databases	50
	Backing up the upgraded Enterprise Vault databases	51
	Starting all the Enterprise Vault services	51
Chapter 10	Upgrading standalone Administration Consoles	52
	About upgrading standalone Administration Consoles	52
	Upgrading a standalone Administration Console (wizard)	53
	Installing Enterprise Vault (command line)	53
	Creating an activation configuration file (Windows 7 only)	54
Chapter 11	Upgrading Enterprise Vault Reporting	55
	Upgrading Enterprise Vault Reporting	55
	Installing the Enterprise Vault Reporting component	56
	Running the Enterprise Vault Reporting Configuration utility	57
Chapter 12	Upgrading MOM and SCOM	58
	Upgrading MOM	58
	Upgrading the Enterprise Vault SCOM management pack	58
	About the supplied management packs	59
	About the upgrade procedure	59
Chapter 13	Upgrading Exchange Server forms	61
	About upgrading Exchange Server forms	61
Chapter 14	Upgrading Domino mailbox archiving	62
	About upgrading Domino mailbox archiving	62
	Domino client version required to run EVInstall.nsf	62
	Preparing for the upgrade of Domino mailbox archiving	63
	Upgrading Domino mailbox archiving	63
	Granting the Domino archiving user access to mail files	65
	Identifying internal mail recipients	66
	Run the Domino provisioning task	68
Chapter 15	Upgrading the FSA Agent	69
	Compatible versions of the FSA Agent and Enterprise Vault server	
	69
	About upgrading the FSA Agent	70

	Upgrading FSA Agent services that are clustered for high availability	71
	Upgrading the FSA Agent on a target Windows file server from the Administration Console	72
	Upgrading the FSA Agent on an FSA Reporting proxy server from the Administration Console	73
	Upgrading the FSA Agent manually	75
Chapter 16	Upgrading Enterprise Vault Office Mail App	76
	About upgrading Enterprise Vault Office Mail App	76
Chapter 17	Upgrading OWA Extensions	77
	About upgrading OWA Extensions	77
	Upgrading Enterprise Vault OWA 2010 Extensions	77
Chapter 18	Upgrading SharePoint Server components	79
	About upgrading the SharePoint components	79
	Upgrading the Enterprise Vault SharePoint components	80
Chapter 19	Upgrading SMTP archiving	81
	Checking the SMTP journaling type configuration	81
	Finding SMTP targets that are assigned to unsupported archive types	85
	Migrating existing targets to provisioning groups	86
	Checking the permissions of the SMTP Archiving task account	87
	Checking the "Journal report processing" advanced SMTP policy setting	88
	Checking the "Selective Journal Archiving" site setting	88
	Implementing Skype for Business and SMTP Archiving	89
	About upgrading legacy SMTP archiving components	89
Chapter 20	Upgrading your Enterprise Vault sites to use Enterprise Vault Search	90
	About Enterprise Vault Search	91
	Server requirements for Enterprise Vault Search	91
	Defining search policies for Enterprise Vault Search	92
	Allowing privileged Enterprise Vault Search users to restore items to other users' mailboxes	93
	Setting up provisioning groups for Enterprise Vault Search	94

Changing the order in which Enterprise Vault processes the search provisioning groups	96
Creating and configuring Client Access Provisioning tasks for Enterprise Vault Search	96
Configuring user browsers for Enterprise Vault Search	98
Configuring the Block Untrusted Fonts feature in Windows 10	99
Configuring Enterprise Vault Search for use in Forefront TMG and similar environments	99
Setting up Enterprise Vault Search Mobile edition	100
Carrying out preinstallation tasks for Enterprise Vault Search Mobile edition	100
Installing Enterprise Vault Search Mobile edition	103
Configuring the maximum number of permitted login attempts to Enterprise Vault Search Mobile edition	104
Verifying the installation of Enterprise Vault Search Mobile edition	105
Chapter 21	
Upgrading Enterprise Vault API applications	106
Upgrading any applications that use the Enterprise Vault API Runtime	106

About this guide

This chapter includes the following topics:

- [Introducing this guide](#)
- [Where to get more information about Enterprise Vault](#)

Introducing this guide

This guide describes how to upgrade Enterprise Vault.

If you are performing a new installation of Enterprise Vault, see the *ReadMeFirst* file. Then follow the installation instructions in the *Installing and Configuring* guide, which is in the `Veritas Enterprise Vault\Documentation` folder on the Enterprise Vault release media.

The most up-to-date versions of the *ReadMeFirst* file and *Installing and Configuring* guide are available from the [Documentation Library](#).

Where to get more information about Enterprise Vault

[Table 1-1](#) lists the documentation that accompanies Enterprise Vault. This documentation is also available in PDF and HTML format in the [Veritas Documentation Library](#).

Table 1-1 Enterprise Vault documentation set

Document	Comments
Veritas Enterprise Vault Documentation Library	<p>Includes all the following documents in Windows Help (.chm) format so that you can search across them all. It also includes links to the guides in Acrobat (.pdf) format.</p> <p>You can access the library in several ways, including the following:</p> <ul style="list-style-type: none"> ■ In Windows Explorer, browse to the Documentation\language\Administration Guides subfolder of the Enterprise Vault installation folder, and then open the EV_Help.chm file. ■ On the Help menu in the Administration Console, click Help on Enterprise Vault.
<i>Introduction and Planning</i>	Provides an overview of Enterprise Vault functionality.
<i>Deployment Scanner</i>	Describes how to check the required software and settings before you install Enterprise Vault.
<i>Installing and Configuring</i>	Provides detailed information on setting up Enterprise Vault.
<i>Upgrade Instructions</i>	Describes how to upgrade an existing Enterprise Vault installation to the latest version.
<i>Setting up Domino Server Archiving</i>	Describes how to archive items from Domino mail files and journal databases.
<i>Setting up Exchange Server Archiving</i>	Describes how to archive items from Microsoft Exchange user mailboxes, journal mailboxes, and public folders.
<i>Setting up File System Archiving</i>	Describes how to archive files that are held on network file servers.
<i>Setting up IMAP</i>	Describes how to configure IMAP client access to Exchange archives and Internet Mail archives.
<i>Setting up SharePoint Server Archiving</i>	Describes how to archive documents from Microsoft SharePoint servers.
<i>Setting up Skype for Business Archiving</i>	Describes how to archive Skype for Business sessions.
<i>Setting up SMTP Archiving</i>	Describes how to archive SMTP messages from other messaging servers.

Table 1-1 Enterprise Vault documentation set (*continued*)

Document	Comments
<i>Classification using the Microsoft File Classification Infrastructure</i>	Describes how to use the classification engine that is built into recent Windows Server editions to classify all new and existing archived content.
<i>Classification using the Veritas Information Classifier</i>	Describes how to use the Veritas Information Classifier to evaluate all new and archived content against a comprehensive set of industry-standard classification policies. If you are new to classification with Enterprise Vault, we recommend that you use the Veritas Information Classifier rather than the older and less intuitive File Classification Infrastructure engine.
<i>Administrator's Guide</i>	Describes how to perform day-to-day administration procedures.
<i>PowerShell Cmdlets</i>	Describes how to perform various administrative tasks by running the Enterprise Vault PowerShell cmdlets.
<i>Auditing</i>	Describes how to collect auditing information for events on Enterprise Vault servers.
<i>Backup and Recovery</i>	Describes how to implement an effective backup strategy to prevent data loss, and how to provide a means for recovery in the event of a system failure.
<i>Reporting</i>	Describes how to implement Enterprise Vault Reporting, which provides reports on the status of Enterprise Vault servers, archives, and archived items. If you configure FSA Reporting, additional reports are available for file servers and their volumes.
<i>NSF Migration</i>	Describes how to import content from Domino and Notes NSF files into Enterprise Vault archives.
<i>PST Migration</i>	Describes how to migrate content from Outlook PST files into Enterprise Vault archives.
<i>Utilities</i>	Describes Enterprise Vault tools and utilities.
<i>Registry Values</i>	A reference document that lists the registry values with which you can modify many aspects of Enterprise Vault behavior.
<i>Help for Administration Console</i>	The online Help for the Enterprise Vault Administration Console.

Table 1-1 Enterprise Vault documentation set (*continued*)

Document	Comments
Help for Enterprise Vault Operations Manager	The online Help for Enterprise Vault Operations Manager.

For the latest information on supported devices and versions of software, see the Enterprise Vault [Compatibility Charts](#).

Enterprise Vault training modules

Veritas Education Services provides comprehensive training for Enterprise Vault, from basic administration to advanced topics and troubleshooting. Training is available in a variety of formats, including classroom-based and virtual training.

For more information on Enterprise Vault training, curriculum paths, and certification options, see <https://www.veritas.com/services/education-services>.

Before you begin

This chapter includes the following topics:

- [Server upgrade paths](#)
- [Documentation](#)

Server upgrade paths

This guide describes how to upgrade to Enterprise Vault 12.3. The only possible server upgrade paths to this version are from the following:

- Enterprise Vault 11.0 or 11.0.1.
- Enterprise Vault 12.0 original release, 12.1 or 12.2.

Note: Enterprise Vault release updates that you have installed do not affect the upgrades. You do not have to remove Enterprise Vault release updates before you upgrade.

Documentation

The Enterprise Vault documentation is in the `Veritas Enterprise Vault\Documentation` folder on the Enterprise Vault media.

For the latest information on supported devices and versions of software, see the Enterprise Vault [Compatibility Charts](#).

Points to note when upgrading

This chapter includes the following topics:

- [Order of upgrade in an environment with Compliance Accelerator or Discovery Accelerator](#)
- [Silently installing Enterprise Vault from the command line](#)
- [Installing Outlook on the Enterprise Vault server](#)
- [Securing Enterprise Vault web applications](#)
- [Weak protocols and ciphers are blocked](#)
- [Improved consistency when applying a retention period to items](#)
- [Classification using Microsoft File Classification Infrastructure on Windows Server 2016](#)
- [Data Classification Services does not support all the types of retention categories available in Enterprise Vault 12.3](#)
- [eDiscovery Platform compatibility with Enterprise Vault](#)
- [Additional points to note when upgrading from Enterprise Vault 11.0 or 11.0.1](#)

Order of upgrade in an environment with Compliance Accelerator or Discovery Accelerator

Compliance Accelerator and Discovery Accelerator 12.3 work with Enterprise Vault 11.0.1 and later.

Order in which to perform the upgrade

- 1 If your environment includes Discovery Accelerator:
 - Install Discovery Accelerator 12.3 on the Discovery Accelerator server.
 - Then upgrade the Discovery Accelerator databases.
 - Then install the Discovery Accelerator 12.3 client software on each client computer.
- 2 Upgrade Enterprise Vault to version 12.3 on all Enterprise Vault servers.

Note: If your environment includes Compliance Accelerator, do not start the Enterprise Vault Storage service on any Enterprise Vault Storage server until you have upgraded to Compliance Accelerator 12.3. This order ensures that the random sampling feature works seamlessly before and after the upgrade.

- 3 Upgrade Enterprise Vault to version 12.3 on all Compliance Accelerator and Discovery Accelerator servers.
- 4 If your environment includes Compliance Accelerator:
 - Install Compliance Accelerator 12.3 on the Compliance Accelerator server.
 - Then upgrade the Compliance Accelerator databases.
 - Install the Compliance Accelerator 12.3 client software on each client computer.

Note the following:

- Only start the Enterprise Vault Storage service on the Enterprise Vault Storage servers after you have fully upgraded Compliance Accelerator.

For more information on supported versions and upgrade paths, see the Enterprise Vault [Compatibility Charts](#) and the article *Supported upgrade paths for Enterprise Vault, Compliance Accelerator, Discovery Accelerator and Discovery Collector* at <https://www.veritas.com/docs/100023744>.

For detailed instructions on how to upgrade Compliance Accelerator and Discovery Accelerator, see their accompanying documentation.

Silently installing Enterprise Vault from the command line

The command-line syntax for silently installing Enterprise Vault has changed. You must now include two new parameters, `/wait` and `/clone_wait`. The syntax is as follows:

```
start /wait "" "setup (x64).exe" /s /clone_wait  
/v"COMPONENTS=Option[|Option][...]"
```

For more information, see the "Installing Enterprise Vault (command line)" section in the *Installing and Configuring* guide.

Installing Outlook on the Enterprise Vault server

To support Exchange Server archiving, you must install Outlook on the Enterprise Vault server. Enterprise Vault currently supports the following versions of Outlook for this purpose:

- Outlook 2013 SP1, 32-bit version.
- Outlook 2016, 32-bit version. You need build version 16.0.4534.1001 or later.

In each case, Enterprise Vault supports the Windows Installer (MSI) version of 32-bit Outlook, which is available with the volume license. It does not support the Click-to-Run and 64-bit versions. For the latest information on supported versions of Outlook, see the [Compatibility Charts](#).

Outlook must be the default email client on the Enterprise Vault server. When the Enterprise Vault Admin service starts, it checks that Outlook is configured as the default client and, if it is not, configures it as such.

MAPI over HTTP and Outlook Anywhere (RPC over HTTP)

Install a version of Outlook to suit the transport protocol that you have enabled in Exchange: MAPI over HTTP or Outlook Anywhere (formerly "RPC over HTTP").

Table 3-1 Exchange transport protocols and required version of Outlook

Exchange version	Outlook version on Enterprise Vault server	
	Outlook 2013 SP1	Outlook 2016
Exchange Server 2013/2016 with MAPI over HTTP enabled	MAPI over HTTP connections from Enterprise Vault client computers to Exchange are supported, but not those from the Enterprise Vault server itself. Disable MAPI over HTTP on the server by following the instructions here: https://www.veritas.com/docs/100040583 Disabling MAPI over HTTP causes Enterprise Vault to revert to an Outlook Anywhere connection to Exchange.	Supported
Exchange Server 2013/2016 with Outlook Anywhere enabled	Supported	Not supported
Exchange Server 2010 with RPC over HTTP enabled	Supported	Not supported

Public folder archiving

By installing Outlook 2013 SP1 on the Enterprise Vault server, you also provide support for archiving from Exchange public folders. Outlook 2016 is not currently supported for this purpose.

Upgrading to Outlook 2013 SP1 or 2016

Note: Outlook performance counters must be disabled when Outlook 2013 SP1 or 2016 is installed on the Enterprise Vault server. The Enterprise Vault Admin service automatically disables the Outlook performance counters if it detects Outlook 2013 or 2016 on the Enterprise Vault server.

To upgrade to Outlook 2013 SP1 or 2016

- 1 Stop the Enterprise Vault Admin service on the Enterprise Vault server.
- 2 Install Outlook.
- 3 Restart all the Enterprise Vault services.

Securing Enterprise Vault web applications

The Enterprise Vault web applications are configured in the Default Web Site in IIS. By default in a new installation of Enterprise Vault 12.3 or later, Enterprise Vault configures HTTPS on port 443, and enables SSL on each Enterprise Vault virtual directory.

When you upgrade from a version that is earlier than Enterprise Vault 12.3, the existing configuration of the Default Web Site and Enterprise Vault virtual directories remains unchanged. To ensure the security of connections to Enterprise Vault web applications, we strongly recommend that you manually configure an HTTPS binding on the Default Web Site, and enable SSL on the Enterprise Vault virtual directories. The procedure below explains how to do this.

The port and protocol that clients use to access the `EnterpriseVault` virtual directory is displayed on the **General** tab of site properties in the Enterprise Vault Administration Console. Before you change this setting, you must first make the required changes to the Default Web Site in IIS for each server in the Enterprise Vault site.

If you change the port or protocol setting in site properties after items have been archived, existing shortcuts will no longer work. Shortcuts in Outlook and Notes can be updated with the new protocol or port information by synchronizing mailboxes in the Enterprise Vault Administration Console, but customized shortcuts, FSA shortcuts and SharePoint shortcuts cannot be updated.

To create a certificate request, and implement SSL in IIS

- 1 Create and submit an SSL certificate request to a trusted certificate authority. Your certificate must include both the short names and fully qualified domain names of the Vault Site alias (that is, the DNS alias for the Enterprise Vault site). For example, **EVServer1** and **EVServer1.domain.com**.

You can use any suitable tool to request the certificate. For example, you can use OpenSSL, which is installed in the Enterprise Vault installation folder. How to create a certificate request using Microsoft Management Console (MMC) is described in the document, <https://www.veritas.com/docs/100038186>.

- 2 On the Enterprise Vault server, perform the following steps in IIS Manager:
 - Use the **Server Certificates** feature to install the new certificate.
 - In the site bindings for the Default Web Site, add a binding for the HTTPS protocol and link it to the new certificate. Bear in mind, if you change the protocol or port for the Default Web Site, it will affect all virtual directories in the website.
 - In the **SSL Settings** pane for each Enterprise Vault virtual directory, select **Require SSL**.

These tasks are also described in the document,
<https://www.veritas.com/docs/100038186>.

- 3 When you have made the necessary changes in IIS, change the port or protocol setting on the **General** tab of site properties in the Enterprise Vault Administration Console.

Weak protocols and ciphers are blocked

In a new installation of Enterprise Vault 12.3, or an upgrade to Enterprise Vault 12.3, the Enterprise Vault installer now disables weak protocols and ciphers. Enterprise Vault disables the following protocols, if you have not enabled them manually:

- SSL 2.0
- SSL 3.0

Weak protocols are managed using registry settings under

`HKEY_LOCAL_MACHINE\SYSTEM\CurrentControlSet\Control\SecurityProviders\SCHANNEL\Protocols`. If you have manually enabled the weak protocols listed above, a registry setting will exist under the `Protocols` subkey. Enterprise Vault does not disable a protocol that you have enabled in this way.

Note: You can also manually disable the TLS 1.0 protocol by following the instructions in this article:

<https://www.veritas.com/docs/100041638>

By disabling TLS 1.0, you may prevent some Enterprise Vault functionality from working properly. The article above describes how to ensure that this functionality continues to work as expected.

Enterprise Vault disables the following ciphers:

- TLS_RSA_WITH_RC4_128_SHA
- TLS_RSA_WITH_RC4_128_MD5
- TLS_RSA_WITH_3DES_EDE_CBC_SHA

Ciphers are managed using registry settings under `HKEY_LOCAL_MACHINE\SOFTWARE\Policies\Microsoft\Cryptography\Configuration\SSL\00010002`. Enterprise Vault disables all of the weak ciphers listed above, even if you have enabled any of them using a registry setting under the `Ciphers` subkey.

Improved consistency when applying a retention period to items

Changes to the Vault Administration Console provide improved consistency and clarity in the way that Enterprise Vault applies a retention period to items. Some of these changes include changes to default behavior.

Table 3-2 Changes to Administration Console elements

Administration Console element	Changes made
<p>Exchange Mailbox Policy dialog box > Existing Items tab</p> <p>(In Enterprise Vault 11.0, this tab was called Moved Items)</p>	<p>This tab has been removed. The settings on the tab related to how retention was assigned to items whose shortcuts were moved from one mailbox folder to another. The settings also applied to existing shortcut items in the mailbox folder. On the Archive Settings tab of the Site Properties dialog box, the Update the category for existing items setting also controlled how retention was assigned to such items. The various setting names and their combined effect caused confusion.</p> <p>In this release, the item movement behavior has been standardized across Enterprise Vault. That is:</p> <ul style="list-style-type: none"> ■ The location of a moved item is always updated. See "Limiting the impact when updating moved item locations" on page 22. ■ The category of a moved item is updated. This is subject to site archive settings and classification policy settings. ■ The category of other, existing items in the folder is never changed. ■ The category of a moved item is updated, even if the original category was selected by a user, set by a custom filter, or set by PST migration. Again, this is subject to site archive settings and classification policy settings.

Table 3-2 Changes to Administration Console elements (continued)

Administration Console element	Changes made
Site Properties dialog box > Archive Settings tab	<p>The Allow user actions to update categories setting on this tab determines whether, when users perform actions that could potentially update the retention categories of their archived items, Enterprise Vault allows the updates to take place. For example, users may move archived items between folders to which you have applied different retention categories, or change the retention categories of items in Enterprise Vault Search, if permitted. Both actions can cause the retention categories of the items to change. The following options now let you control when Enterprise Vault updates the retention category of such items:</p> <ul style="list-style-type: none"> ■ Always ■ If item expiry is the same or later, or the record type changes
Classification Policy Properties dialog box > Settings tab	<p>This tab now provides an option, Prevent user actions from updating retention categories, with which you can block unwanted changes to the retention categories that the Enterprise Vault classification feature has assigned to archived items. For example, users can potentially update the retention categories by moving the items from one folder to another.</p> <p>You can choose to block retention category updates in all instances or, if you use the Enterprise Vault records management feature, you can allow them in instances where this also causes the record types of the items to change.</p>

Table 3-2 Changes to Administration Console elements *(continued)*

Administration Console element	Changes made
Retention Category Properties dialog box > Details tab (In Enterprise Vault 12.1 and earlier, this tab was called General)	<p>The following options are available on this tab:</p> <ul style="list-style-type: none"> ■ Prevent automatic deletion of expired items with this category ■ Prevent user deletion of items with this category <p>Consider the following situation:</p> <ul style="list-style-type: none"> ■ An item in a mailbox folder has a retention category with a hold set on automatic deletion of expired items. ■ The user moves the item shortcut to a folder that has a different category assigned. The folder category does not have any holds set. <p>In previous releases, Enterprise Vault did not update the category in this situation. This behavior has now changed. Enterprise Vault updates the item category, subject to site and classification policy settings for allowing user actions to update categories on items. In this example, updating the category means that the hold on automatic deletion on expiry is removed. Similarly, a user action may cause a change of retention category from one that specifies a hold on user deletion to one that does not. This can lead to the removal of the hold on user deletion.</p>
Search Policy Properties dialog box > Features tab	<p>This tab now contains an option, Allow Retention Category to be changed, with which you can allow Enterprise Vault Search users to change the retention categories of the items in their archives. By default, this option is turned off.</p> <p>This setting is subject to the site and classification policy settings that are described above.</p>

For an overview of retention in Enterprise Vault 12.3, see the technical note [Managing Retention](#).

Limiting the impact when updating moved item locations

Previously, you could prevent Enterprise Vault from updating an item's location in the archive when a user moved the shortcut to a different folder in their mailbox. To disable this feature, you cleared **Update archive location for items moved in the mailbox** in the Exchange Mailbox policy. In Enterprise Vault 11.0, this option was on the **Moved Items** tab. In Enterprise Vault 12.0, the tab was renamed **Existing Items**.

In this release, Enterprise Vault always updates the archive location of moved items. If you had previously disabled this feature, and mailboxes contain lots of shortcuts, then Enterprise Vault attempts to update the archive location for moved items after you upgrade. If the mailboxes include historical shortcuts to Enterprise Vault servers that are no longer reachable, then long network timeouts may occur.

To prevent these timeouts, configure a list of valid site aliases as described in the following procedure.

Configuring a list of valid site aliases

- 1 In the Enterprise Vault Administration Console, open the **Advanced** tab in the Exchange Mailbox policy.
- 2 In **List settings from:**, select **Archiving General**.
- 3 Select **Valid Enterprise Vault site aliases** and click **Modify**.
- 4 Enter a semi-colon separated list of valid site aliases. During shortcut processing, Enterprise Vault does not attempt to contact any site whose alias does not appear in the list.
- 5 Click **OK** to close the dialog box, and then again to close the properties.
- 6 Repeat the above steps for each Exchange Mailbox policy.

Classification using Microsoft File Classification Infrastructure on Windows Server 2016

Enterprise Vault classification using the Microsoft File Classification Infrastructure is not supported on Windows Server 2016.

Data Classification Services does not support all the types of retention categories available in Enterprise Vault 12.3

Enterprise Vault 12.2 introduced the option to configure retention categories that have a fixed expiry date rather than a retention period. For example, you can create a retention category that has a fixed expiry date of 31 December 2021, and then assign the retention category to the items that you want to expire on this date.

The Enterprise Vault Data Classification Services feature does not support retention categories with fixed expiry dates. Therefore, when you define the list of available retention categories in Data Classification Services, you must omit those that have fixed expiry dates.

eDiscovery Platform compatibility with Enterprise Vault

Before you upgrade Enterprise Vault, see the [eDiscovery Platform Compatibility Matrix](#) for details of compatibility with Enterprise Vault.

Additional points to note when upgrading from Enterprise Vault 11.0 or 11.0.1

Read the following sections if you are upgrading from Enterprise Vault 11.0 or 11.0.1. You can skip these sections if you are upgrading from Enterprise Vault 12.0 original release or later.

Vault Service account requires a new SQL permission

The Vault Service account requires the VIEW ANY DEFINITION permission. For more information, see “Creating a SQL login account” in the *Installing and Configuring* guide.

Enterprise Vault 12.3 requires uniform SQL collation

Enterprise Vault 12.3 requires that SQL has a uniform collation across the Master and all the Enterprise Vault databases. An inconsistent collation prevents you from upgrading, so you must ensure there is a uniform collation before you upgrade. For information about how to fix an inconsistent collation, see the following technical note:

<https://www.veritas.com/docs/100023860>

Enabling fast browsing for Enterprise Vault Search

Enterprise Vault can create metadata indexes for use with Enterprise Vault Search. These indexes enable faster browsing of archived items. If there is no metadata index for an archive, Enterprise Vault Search uses the archive's own index but browsing is slower.

Enterprise Vault does not automatically enable fast browsing for archives.

Fast browsing is always enabled for IMAP.

If you choose to enable fast browsing, you can do so in the following ways:

- Use the Administration Console. On the **Archive Settings** tab of the **Site Properties** dialog box, you can enable fast browsing for all new or existing

archives of a particular type. For example, you can enable all Exchange mailbox archives.

You can also enable archives individually, by editing the properties of each archive. This method is not suitable if you need to enable more than a few archives.

- Use a PowerShell cmdlet. The `New-EVMDSBuildTask` cmdlet lets you enable a large number of archives for fast browsing.

Automatic migration of content conversion settings

The Enterprise Vault content conversion functionality is extended to use the functionality that is provided by the Windows TIFF IFilter feature.

Content conversion was previously configurable at server level using registry settings. In this release it is configured at site level. This ensures that conversion is implemented consistently across storage servers in an Enterprise Vault site.

To support this feature, new Content Conversion settings are added to the advanced site settings in the Enterprise Vault Administration Console. During the upgrade process, the new settings are added to each site with default values.

If you previously configured conversion registry settings on an Enterprise Vault server, the setting values are evaluated during upgrade. On each Enterprise Vault server in the site, existing content conversion registry settings are logically upgraded and then deleted if their values match the equivalent site setting. If the value differs from the site settings default, then the registry setting value overrides the site setting value on the local Enterprise Vault server only.

[Table 3-3](#) shows the association between new Content Conversion site settings and existing conversion registry settings.

Table 3-3 Content Conversion site settings and registry settings

Setting name in Content Conversion advanced site properties	Associated registry settings
File types excluded from conversion	Enterprise Vault\ExcludedFileTypesFromConversion
File types converted to text	Enterprise Vault\TextConversionFileTypes Enterprise Vault\ConvertWordToText Enterprise Vault\ConvertExcelToText Enterprise Vault\ConvertRTFCoverToText
Conversion timeout	Enterprise Vault\ConversionTimeout

Table 3-3 Content Conversion site settings and registry settings (*continued*)

Setting name in Content Conversion advanced site properties	Associated registry settings
Conversion timeout for archive file types	Enterprise Vault\ ConversionTimeoutArchiveFiles
Include hidden text	Enterprise Vault\ConversionIncludeHiddenText
Include hidden spreadsheet data	Enterprise Vault\ ConversionIncludeHiddenSpreadsheetData
Show spreadsheet border	Enterprise Vault\ConversionSpreadsheetBorder
Maximum conversion size	Enterprise Vault\MemLimitForTextConversionFallback
Log conversion failure events	Storage\FailedConversionEvents
Log fallback to text events	Storage\FallbackConversionEvents
Log conversion timeout events	Storage\ConversionTimeoutEvents
Log file type not recognized events	Storage\UnrecognisedFileTypeEvents
Log maximum conversion size exceeded events	Storage\RequestedAllocationSizeTooLargeEvents

Steps to upgrade your system

This chapter includes the following topics:

- [Overview of the upgrade process](#)

Overview of the upgrade process

Overview of the upgrade process

- 1** If your environment includes Compliance Accelerator or Discovery Accelerator, familiarize yourself with the order in which you must upgrade these applications and Enterprise Vault.

See [“Order of upgrade in an environment with Compliance Accelerator or Discovery Accelerator”](#) on page 14.
- 2** Prepare the Enterprise Vault servers for the upgrade:

See [“About Enterprise Vault server preparation”](#) on page 29.
- 3** Install and configure the Enterprise Vault server software as described in the appropriate chapter for your installation.

See [“About upgrading a single Enterprise Vault server”](#) on page 34.

See [“About upgrading multiple Enterprise Vault servers”](#) on page 38.

See [“About upgrading a Veritas cluster”](#) on page 42.

See [“About upgrading a Windows Server Failover Cluster”](#) on page 47.
- 4** Upgrade any computers that are running just the Enterprise Vault Administration Console.

See [“About upgrading standalone Administration Consoles”](#) on page 52.

- 5 Upgrade any computers that are running Enterprise Vault Reporting.
See [“Upgrading Enterprise Vault Reporting”](#) on page 55.
- 6 Perform the post-installation tasks as necessary:
 - Upgrade MOM and SCOM.
See [“Upgrading MOM”](#) on page 58.
 - Upgrade Exchange Server forms.
See [“About upgrading Exchange Server forms”](#) on page 61.
 - Upgrade Domino mailbox archiving.
See [“About upgrading Domino mailbox archiving”](#) on page 62.
 - Upgrade the FSA Agent on the Windows servers on which it is installed.
See [“About upgrading the FSA Agent”](#) on page 70.
 - Upgrade the Enterprise Vault Office Mail App.
See [“About upgrading Enterprise Vault Office Mail App”](#) on page 76.
 - Upgrade OWA extensions.
See [“About upgrading OWA Extensions”](#) on page 77.
 - Upgrade SharePoint Server components.
See [“About upgrading the SharePoint components”](#) on page 79.
 - Upgrade SMTP archiving.
See [“Checking the permissions of the SMTP Archiving task account”](#) on page 87.
 - Upgrade your Enterprise Vault sites to use Enterprise Vault Search.
See [“About Enterprise Vault Search”](#) on page 91.
 - Upgrade Enterprise Vault API applications.
See [“Upgrading any applications that use the Enterprise Vault API Runtime”](#) on page 106.

Enterprise Vault server preparation

This chapter includes the following topics:

- [About Enterprise Vault server preparation](#)
- [Backing up the system](#)
- [Updating required Windows features](#)
- [Running Enterprise Vault Deployment Scanner](#)
- [Setting database permissions](#)
- [Allowing the MSMQ queues to empty](#)
- [Checking the archiving and expiry schedules](#)

About Enterprise Vault server preparation

Before you upgrade the Enterprise Vault software you must prepare for the upgrade, as described in this chapter.

Perform the following actions in the order they are listed:

- Back up the system.
See [“Backing up the system”](#) on page 30.
- Run Enterprise Vault Deployment Scanner.
See [“Running Enterprise Vault Deployment Scanner”](#) on page 31.
- Set database permissions.
See [“Setting database permissions”](#) on page 32.
- Allow the MSMQ queues to empty.

See “Allowing the MSMQ queues to empty” on page 32.

- Check the archiving and expiry schedules.
See “Checking the archiving and expiry schedules” on page 33.
- Configure valid site aliases to limit the impact when Enterprise Vault updates the archive location of moved items.
See “Improved consistency when applying a retention period to items” on page 20.

Backing up the system

You need to back up your Enterprise Vault data and any changed language files.

If you use SCOM, you may want to back up the management pack.

Backing up Enterprise Vault data

Before upgrading your Enterprise Vault environment, back up all Enterprise Vault data in accordance with your normal backup procedures.

See the *Backup and Recovery* guide.

Note: When you back up your databases, perform the recommended database maintenance steps that are described in the following technical note on the Veritas Support website:

<https://www.veritas.com/docs/100022023>

These maintenance steps shrink the database, rebuild the table indexes, and update the database statistics. Such actions enable the upgrade of the databases to proceed more quickly.

When you have backed up your vault store partitions, the Storage service marks the relevant files as backed up, and this removes the entries from the WatchFile table. The Storage service performs these tasks at preconfigured intervals. You should wait for the WatchFile table to reduce in size before you proceed with the upgrade. If you do not wait, the Storage service can take some time to restart after the upgrade is complete. You can use the usage report at <http://evserver/enterprisevault/usage.asp> to check the number of files in the **Awaiting Backup** column.

Backing up changed language files

The installation procedure overwrites the files in the following Enterprise Vault server language folders:

```
Enterprise Vault\Languages\Mailbox Messages\language
```

Where *language* indicates the language used.

The installation does not modify the live versions of these files that you have in the Enterprise Vault folder, for example `C:\Program Files (x86)\Enterprise Vault`.

If you have made changes that you want to keep to the files in the language folders, copy the files to another location.

Updating required Windows features

The Enterprise Vault Install Launcher can automatically check that a server has the required Windows features and can add any features that are missing.

For details of the features that the Install Launcher can add, see "Automatically preparing an Enterprise Vault server" in the *Installing and Configuring* guide.

To run the Prepare My System option

- 1 Load the Enterprise Vault media on to the server.
- 2 If Windows AutoPlay is enabled on the server, Windows shows an AutoPlay dialog box. Click **Run Setup.exe**.

If AutoPlay is not enabled, use Windows Explorer to open the root folder of the installation media and then double-click the file `Setup.exe`.

The Install Launcher opens.
- 3 In the list in the left pane of the Install Launcher, click **Enterprise Vault**.
- 4 Click **Server Preparation**.
- 5 Click **Windows features**, and then click **Prepare my system**. The Windows features are added immediately, with no further prompts. The server may restart automatically after the features have been added.

Running Enterprise Vault Deployment Scanner

Before you upgrade Enterprise Vault, we strongly recommend that you run Deployment Scanner to check required software and settings.

Use the Vault Service account when running Deployment Scanner.

Note: If you choose to check SQL Server, the report may show a warning that "SQL databases contain entities with mixed collations". See the following technical note for details of how to fix the problem:

<https://www.veritas.com/docs/100023860>

If you make changes to your configuration as a result of running Deployment Scanner, repeat your system backup if necessary.

To run the Deployment Scanner

- 1 Log in to the Vault Service account.
- 2 Load the Enterprise Vault media.
- 3 If Windows AutoPlay is enabled on the server, Windows shows an AutoPlay dialog box. Click **Run Setup.exe**.

If AutoPlay is not enabled, use Windows Explorer to open the root folder of the installation media and then double-click the file `Setup.exe`.
- 4 In the left pane of the **Veritas Enterprise Vault Install Launcher** window, click **Enterprise Vault** and then click **Server Preparation**.
- 5 In the right pane, click **Deployment Scanner** and then click **Run the Deployment Scanner**. The Deployment Scanner starts.

Setting database permissions

Before you upgrade Enterprise Vault, you must ensure that the Vault Service account has all the necessary permissions.

You can verify the Vault Service account's permissions against the procedure in "Creating a SQL login account", in the *Installing and Configuring* guide.

Allowing the MSMQ queues to empty

Before you upgrade Enterprise Vault, we recommend that you allow the MSMQ queues to empty. If you upgrade Enterprise Vault with items still on the queues, the Enterprise Vault services may log error events the first time they start after the upgrade.

Checking the archiving and expiry schedules

To allow time to examine the new installation before archiving starts, you may want to disable archiving and expiry before you upgrade the servers. You can enable the servers again when you have checked the installation.

Single server: upgrading the Enterprise Vault server software

This chapter includes the following topics:

- [About upgrading a single Enterprise Vault server](#)
- [Installing on a single server](#)
- [Upgrading the Enterprise Vault databases](#)
- [Backing up the upgraded Enterprise Vault databases](#)
- [Starting all the Enterprise Vault services](#)

About upgrading a single Enterprise Vault server

This chapter describes how to upgrade the Enterprise Vault server software and databases when you have only one server that runs Enterprise Vault services.

Perform the procedures in this chapter in the order that they are listed.

Installing on a single server

This section describes how to install the Enterprise Vault server software when you have only one server that runs Enterprise Vault services.

Preparation

To prepare to upgrade the Enterprise Vault server software on a single server

- 1 Log on to the Enterprise Vault server as the Vault Service account.
- 2 Stop the Enterprise Vault Admin service. This stops the Admin service itself, and any other Enterprise Vault services.
- 3 Stop any other local or remote services or applications that can lock Enterprise Vault files. For example:
 - Enterprise Vault Administration Console
 - Enterprise Vault Accelerator Manager service
- 4 Close any other applications that may be running on the server, including the Control Panel, Computer Management, Windows Services, and the Windows Event Viewer.
- 5 If you are installing on an Enterprise Vault Domino Gateway, make sure that the Domino server on the Enterprise Vault Domino Gateway is shut down and that `EVInstall.nsf` is not being accessed locally.

Installing Enterprise Vault (wizard)

To use the wizard to install Enterprise Vault

- 1 Load the Enterprise Vault media.
- 2 If Windows AutoPlay is enabled on the server, Windows shows an AutoPlay dialog box. Click **Run Setup.exe**.

If AutoPlay is not enabled, use Windows Explorer to open the root folder of the installation media and then double-click the file `Setup.exe`.
- 3 In the list in the left pane of the **Veritas Enterprise Vault Install Launcher** window, click **Enterprise Vault**.
- 4 Click **Server Installation**.
- 5 In the right pane, click **Upgrade existing server**.
- 6 Click **Install**. The Enterprise Vault installation wizard starts.
- 7 Work through the installation wizard to upgrade the Enterprise Vault components.
- 8 If the installation wizard prompts you to restart the server, restart and then log on again as the Vault Service account so that the installer can complete the upgrade.

Installing Enterprise Vault (command line)

The following procedure describes how to upgrade the Enterprise Vault installation. If you want to add or remove components, see the "Installing Enterprise Vault" chapter in the *Installing and Configuring* guide for a complete description of the command-line options.

Caution: If a system restart is needed during silent installation, the server restarts automatically. If the server restarts, log on again as the Vault Service account so that the installer can complete the upgrade.

To install Enterprise Vault from the command line

- 1 Log on to the Enterprise Vault server as the Vault Service account.
- 2 Load the Enterprise Vault media.
- 3 If Windows AutoPlay is enabled on the server, Windows shows an AutoPlay dialog box. Close the AutoPlay dialog box.
- 4 Open a command prompt window and navigate to the following folder on the Enterprise Vault media:

```
\Veritas Enterprise Vault\Server\x64
```
- 5 Run `setup (x64).exe` as follows:

```
"setup (x64).exe" /s
```
- 6 If the server restarts, log on again as the Vault Service account so that the installer can complete the upgrade.

Upgrading the Enterprise Vault databases

Before you start any Enterprise Vault services on the target server, you must upgrade the Enterprise Vault databases.

Enterprise Vault provides a PowerShell cmdlet called `Start-EVDatabaseUpgrade`, which you can use to upgrade all Enterprise Vault databases.

To upgrade Enterprise Vault's databases

- 1 On the target Enterprise Vault server, log in using the Vault Service account.
- 2 Run the Enterprise Vault Management Shell.

- 3 In the Enterprise Vault Management Shell, run the following command:

```
Start-EVDatabaseUpgrade
```

Note that you can also run `Start-EVDatabaseUpgrade -verbose` if you want to see detailed output.

- 4 Wait for `Start-EVDatabaseUpgrade` to complete the upgrade of all the databases.

When the upgrade is complete, you can examine the upgrade reports for errors.

`Start-EVDatabaseUpgrade` writes the reports in the `Reports\DBUpgrade` subfolder of the Enterprise Vault installation folder (for example `C:\Program Files (x86)\Enterprise Vault`).

Backing up the upgraded Enterprise Vault databases

Back up the upgraded Enterprise Vault databases as follows.

To back up the upgraded Enterprise Vault databases

- 1 Stop any running Enterprise Vault services on the Enterprise Vault server.
- 2 Back up all Enterprise Vault databases.

Starting all the Enterprise Vault services

Start all the Enterprise Vault services on the target server.

Multiple servers: upgrading the Enterprise Vault server software

This chapter includes the following topics:

- [About upgrading multiple Enterprise Vault servers](#)
- [Installing on multiple servers](#)
- [Upgrading the Enterprise Vault databases](#)
- [Backing up the upgraded Enterprise Vault databases](#)
- [Starting all the Enterprise Vault services](#)

About upgrading multiple Enterprise Vault servers

This chapter describes how to upgrade the Enterprise Vault server software and databases, when you have multiple servers that run Enterprise Vault services.

Perform the procedures in this chapter in the order that they are listed.

Installing on multiple servers

The following procedure describes how to install the Enterprise Vault server software on all the servers that run Enterprise Vault services.

Perform the following procedure on each computer on which the Enterprise Vault services are installed.

Preparation

To prepare to upgrade the Enterprise Vault server software

- 1 Log on to the Enterprise Vault server as the Vault Service account.
- 2 Stop the Enterprise Vault Admin service. This stops the Admin service itself, and any other Enterprise Vault services.
- 3 Stop any other local or remote services or applications that can lock Enterprise Vault files. For example:
 - Enterprise Vault Administration Console
 - Enterprise Vault Accelerator Manager service
- 4 Close any other applications that may be running on the server, including the Control Panel, Computer Management, Windows Services, and the Windows Event Viewer.
- 5 If you are installing on an Enterprise Vault Domino Gateway, make sure that the Domino server on the Enterprise Vault Domino Gateway is shut down and that `EVInstall.nsf` is not being accessed locally.

Installing Enterprise Vault (wizard)

To use the wizard to install Enterprise Vault

- 1 Load the Enterprise Vault media.
- 2 If Windows AutoPlay is enabled on the server, Windows shows an AutoPlay dialog box. Click **Run Setup.exe**.

If AutoPlay is not enabled, use Windows Explorer to open the root folder of the installation media and then double-click the file `Setup.exe`.
- 3 In the list in the left pane of the **Veritas Enterprise Vault Install Launcher** window, click **Enterprise Vault**.
- 4 Click **Server Installation**.
- 5 In the right pane, click **Upgrade existing server**.
- 6 Click **Install**. The Enterprise Vault installation wizard starts.
- 7 Work through the installation wizard to upgrade the Enterprise Vault components.
- 8 If the installation wizard prompts you to restart the server, restart and then log on again as the Vault Service account so that the installer can complete the upgrade.

- 9 When the installation is complete, the installer re-enables the Enterprise Vault services. Do not start any Enterprise Vault services at this time.
- 10 Repeat this procedure on every computer on which the Enterprise Vault services are installed.

Installing Enterprise Vault (command line)

The following procedure describes how to upgrade the Enterprise Vault installation. If you want to add or remove components, see the "Installing Enterprise Vault" chapter in the *Installing and Configuring* guide for a complete description of the command-line options.

Caution: If a system restart is needed during silent installation, the server restarts automatically. If the server restarts, log on again as the Vault Service account so that the installer can complete the upgrade.

To install Enterprise Vault from the command line

- 1 Log on to the Enterprise Vault server as the Vault Service account.
- 2 Load the Enterprise Vault media.
- 3 If Windows AutoPlay is enabled on the server, Windows shows an AutoPlay dialog box. Close the AutoPlay dialog box.
- 4 Open a Command Prompt window and navigate to the following folder on the Enterprise Vault media:

```
\Veritas Enterprise Vault\Server\x64
```
- 5 Run `setup (x64).exe` as follows:

```
"setup (x64).exe" /s
```
- 6 If the server restarts, log on again as the Vault Service account so that the installer can complete the upgrade.
- 7 When the installation is complete, the installer re-enables the Enterprise Vault services. Do not start any Enterprise Vault services at this time.
- 8 Repeat this procedure on every computer on which the Enterprise Vault services are installed.

Upgrading the Enterprise Vault databases

Before you start any Enterprise Vault services, you must upgrade the Enterprise Vault databases.

Note: You only need to complete this procedure on one Enterprise Vault server.

Enterprise Vault provides a PowerShell cmdlet called `Start-EVDatabaseUpgrade`, which you can use to upgrade all Enterprise Vault databases.

To upgrade Enterprise Vault's databases

- 1 On any Enterprise Vault server, log in using the Vault Service account.
- 2 Run the Enterprise Vault Management Shell.
- 3 In the Enterprise Vault Management Shell, run the following command:

```
Start-EVDatabaseUpgrade
```

Note that you can also run `Start-EVDatabaseUpgrade -verbose` if you want to see detailed output.

- 4 Wait for `Start-EVDatabaseUpgrade` to complete the upgrade of all the databases.

When the upgrade is complete, you can examine the upgrade reports for errors.

`Start-EVDatabaseUpgrade` writes the reports in the `Reports\DBUpgrade` subfolder of the Enterprise Vault installation folder (for example `C:\Program Files (x86)\Enterprise Vault`).

Backing up the upgraded Enterprise Vault databases

Back up the upgraded Enterprise Vault databases as follows.

To back up the upgraded Enterprise Vault databases

- 1 Stop any running Enterprise Vault services on the Enterprise Vault servers.
- 2 Back up all Enterprise Vault databases.

Starting all the Enterprise Vault services

Start all the Enterprise Vault services on all the Enterprise Vault servers in the site.

Veritas Cluster Server: upgrading the Enterprise Vault server software

This chapter includes the following topics:

- [About upgrading a Veritas cluster](#)
- [Installing the Enterprise Vault server software](#)
- [Upgrading the Enterprise Vault databases](#)
- [Backing up the upgraded Enterprise Vault databases](#)
- [Starting all the Enterprise Vault services](#)

About upgrading a Veritas cluster

This chapter describes how to upgrade the Enterprise Vault server software and databases, when the servers that run Enterprise Vault tasks are part of a Veritas cluster.

Perform the procedures in this chapter in the order that they are listed.

Installing the Enterprise Vault server software

This section describes how to install the Enterprise Vault server software when the servers that run Enterprise Vault tasks are part of a Veritas cluster.

Note that Enterprise Vault does not support high-availability upgrades. You must install the server software on all nodes in the cluster before you start Enterprise Vault services or run the configuration wizard.

Preparation

To prepare to upgrade the Enterprise Vault server software

- 1 Log on to the active node as the Vault Service account.
- 2 Use the VCS cluster administration tools to take all the Enterprise Vault service resources offline.

Note the following important points:

- You must stop all Enterprise Vault services in the Enterprise Vault site. For example, stop the services on non-clustered servers, such as an Enterprise Vault Domino Gateway.
 - If you install on an Enterprise Vault Domino Gateway, make sure that the Domino server on the Enterprise Vault Domino Gateway is shut down and that `EVInstall.nsf` is not accessed locally.
 - If there are multiple sites that share the Enterprise Vault Directory, you must also stop all Enterprise Vault services in the other sites.
- 3 Stop any other local or remote services or applications that can lock Enterprise Vault files. For example:
 - Enterprise Vault Administration Console
 - Enterprise Vault Accelerator Manager service
 - 4 Close any applications that may be running on the server, including the Control Panel, Computer Management, Windows Services, and the Windows Event Viewer.

Installing Enterprise Vault (wizard)

To use the wizard to install Enterprise Vault

- 1 Load the Enterprise Vault media.
- 2 If Windows AutoPlay is enabled on the server, Windows shows an AutoPlay dialog box. Click **Run Setup.exe**.

If AutoPlay is not enabled, use Windows Explorer to open the root folder of the installation media and then double-click the file `Setup.exe`.
- 3 In the list in the left pane of the **Veritas Enterprise Vault Install Launcher** window, click **Enterprise Vault**.
- 4 Click **Server Installation**.

- 5 In the right pane, click **Upgrade existing server**.
- 6 Click **Install**. The Enterprise Vault installation wizard starts.
- 7 Work through the installation wizard to upgrade the Enterprise Vault components.
- 8 If the installation wizard prompts you to restart the server, restart and then log on again as the Vault Service account so that the installer can complete the upgrade.
- 9 Install the Enterprise Vault software on the other servers in your Enterprise Vault environment, including any cluster failover nodes.

Installing Enterprise Vault (command line)

The following procedure describes how to upgrade the Enterprise Vault installation. If you want to add or remove components, see the "Installing Enterprise Vault" chapter in the *Installing and Configuring* guide for a complete description of the command-line options.

Caution: If a system restart is needed during silent installation, the server restarts automatically. If the server restarts, log on again as the Vault Service account so that the installer can complete the upgrade.

To install Enterprise Vault from the command line

- 1 Log on to the active node as the Vault Service account.
- 2 Load the Enterprise Vault media.
- 3 If Windows AutoPlay is enabled on the server, Windows shows an AutoPlay dialog box. Close the AutoPlay dialog box.
- 4 Open a command prompt window and navigate to the following folder on the Enterprise Vault media:

`\Veritas Enterprise Vault\Server\x64`
- 5 Run `setup (x64).exe` as follows:

`"setup (x64).exe" /s`
- 6 When the installation is complete, the installer re-enables the Enterprise Vault services. Do not start any Enterprise Vault services at this time.
- 7 Install the Enterprise Vault software on the other servers in your Enterprise Vault environment, including any cluster failover nodes.

Upgrading the Enterprise Vault databases

Before you start any Enterprise Vault services, you must upgrade the Enterprise Vault databases.

Note: You only need to complete this procedure on the active node.

Enterprise Vault provides a PowerShell cmdlet called `Start-EVDatabaseUpgrade`, which you can use to upgrade all Enterprise Vault databases.

To upgrade Enterprise Vault's databases

- 1 On the active node, log in using the Vault Service account.
- 2 Run the Enterprise Vault Management Shell.
- 3 In the Enterprise Vault Management Shell, run the following command:

```
Start-EVDatabaseUpgrade
```

Note that you can also run `Start-EVDatabaseUpgrade -verbose` if you want to see detailed output.

- 4 Wait for `Start-EVDatabaseUpgrade` to complete the upgrade of all the databases.

When the upgrade is complete, you can examine the upgrade reports for errors.

`Start-EVDatabaseUpgrade` writes the reports in the `Reports\DBUpgrade` subfolder of the Enterprise Vault installation folder (for example `C:\Program Files (x86)\Enterprise Vault`).

Backing up the upgraded Enterprise Vault databases

Back up the upgraded Enterprise Vault databases as follows.

To back up the upgraded Enterprise Vault databases

- 1 Use the cluster administration tool to take any running Enterprise Vault services offline.
- 2 Back up all Enterprise Vault databases.

Starting all the Enterprise Vault services

Start the Enterprise Vault services on all the servers in the site.

Use the cluster administration tools to bring all the Enterprise Vault services online.

If there are multiple sites that share the Enterprise Vault Directory, you can start all Enterprise Vault services in the other sites.

Test that the cluster failover works correctly for Enterprise Vault.

Windows Server Failover Clustering: upgrading the Enterprise Vault server software

This chapter includes the following topics:

- [About upgrading a Windows Server Failover Cluster](#)
- [Installing the Enterprise Vault server software](#)
- [Upgrading the Enterprise Vault databases](#)
- [Backing up the upgraded Enterprise Vault databases](#)
- [Starting all the Enterprise Vault services](#)

About upgrading a Windows Server Failover Cluster

This chapter describes how to upgrade the Enterprise Vault server software and databases, when the servers that run Enterprise Vault tasks are part of a Windows cluster.

Perform the procedures in this chapter in the order that they are listed.

Installing the Enterprise Vault server software

This section describes how to install the Enterprise Vault server software when the servers that run Enterprise Vault tasks are part of a Windows Server failover cluster.

Note that Enterprise Vault does not support high-availability upgrades. You must install the server software on all nodes in the cluster before you start Enterprise Vault services or run the configuration wizard.

Preparation

To prepare to upgrade the Enterprise Vault server software

- 1 Log on to the active node as the Vault Service account.
- 2 Use Failover Cluster Manager or the command-line utility `cluster` to take the Admin service resource offline. This takes all the Enterprise Vault services offline.

Note the following important points:

- Do not take the EnterpriseVaultServerInstance offline.
 - You must stop all Enterprise Vault services in the Enterprise Vault site. For example, stop the services on non-clustered servers, such as an Enterprise Vault Domino Gateway.
 - If you install on an Enterprise Vault Domino Gateway, make sure that the Domino server on the Enterprise Vault Domino Gateway is shut down and that `EVInstall.nsf` is not accessed locally.
 - If there are multiple sites that share the Enterprise Vault Directory, you must also stop all Enterprise Vault services in the other sites.
- 3 Stop any other local or remote services or applications that can lock Enterprise Vault files. Use Failover Cluster Manager to stop clustered services. For example:
 - Enterprise Vault Administration Console
 - Enterprise Vault Accelerator Manager service
 - 4 Close any applications that may be running on the server, including the Control Panel, Computer Management, Windows Services, and the Windows Event Viewer.

Installing Enterprise Vault (wizard)

To use the wizard to install Enterprise Vault

- 1 Load the Enterprise Vault media.
- 2 If Windows AutoPlay is enabled on the server, Windows shows an AutoPlay dialog box. Click **Run Setup.exe**.

If AutoPlay is not enabled, use Windows Explorer to open the root folder of the installation media and then double-click the file `Setup.exe`.
- 3 In the list in the left pane of the **Veritas Enterprise Vault Install Launcher** window, click **Enterprise Vault**.
- 4 Click **Server Installation**.
- 5 In the right pane, click **Upgrade existing server**.
- 6 Click **Install**. The Enterprise Vault installation wizard starts.
- 7 Work through the installation wizard to upgrade the Enterprise Vault components.
- 8 If the installation wizard prompts you to restart the server, restart and then log on again as the Vault Service account so that the installer can complete the upgrade.
- 9 Install the Enterprise Vault software on the other servers in your Enterprise Vault environment, including any cluster failover nodes.

Installing Enterprise Vault (command line)

The following procedure describes how to upgrade the Enterprise Vault installation. If you want to add or remove components, see the "Installing Enterprise Vault" chapter in the *Installing and Configuring* guide for a complete description of the command-line options.

Caution: If a system restart is needed during silent installation, the server restarts automatically. If the server restarts, log on again as the Vault Service account so that the installer can complete the upgrade.

To install Enterprise Vault from the command line

- 1 Log on to the active node as the Vault Service account.
- 2 Load the Enterprise Vault media.
- 3 If Windows AutoPlay is enabled on the server, Windows shows an AutoPlay dialog box. Close the AutoPlay dialog box.

- 4 Open a command prompt window and navigate to the following folder on the Enterprise Vault media:

```
\Veritas Enterprise Vault\Server\x64
```

- 5 Run `setup (x64) .exe` as follows:

```
"setup (x64) .exe" /s
```

- 6 If the server restarts, log on again as the Vault Service account so that the installer can complete the upgrade.
- 7 When the installation is complete, the installer re-enables the Enterprise Vault services. Do not start any Enterprise Vault services at this time.
- 8 Install the Enterprise Vault software on the other servers in your Enterprise Vault environment, including any cluster failover nodes.

Upgrading the Enterprise Vault databases

Before you start any Enterprise Vault services, you must upgrade the Enterprise Vault databases.

Note: You only need to complete this procedure on the active node.

Enterprise Vault provides a PowerShell cmdlet called `Start-EVDatabaseUpgrade`, which you can use to upgrade all Enterprise Vault databases.

To upgrade Enterprise Vault's databases

- 1 On the active node, log in using the Vault Service account.
- 2 Run the Enterprise Vault Management Shell.
- 3 In the Enterprise Vault Management Shell, run the following command:

```
Start-EVDatabaseUpgrade
```

Note that you can also run `Start-EVDatabaseUpgrade -verbose` if you want to see detailed output.

- 4 Wait for `Start-EVDatabaseUpgrade` to complete the upgrade of all the databases.

When the upgrade is complete, you can examine the upgrade reports for errors.

`Start-EVDatabaseUpgrade` writes the reports in the `Reports\DBUpgrade` subfolder of the Enterprise Vault installation folder (for example `C:\Program Files (x86)\Enterprise Vault`).

Backing up the upgraded Enterprise Vault databases

Back up the upgraded Enterprise Vault databases as follows.

To back up the upgraded Enterprise Vault databases

- 1 Stop any running Enterprise Vault services.
- 2 Back up all Enterprise Vault databases.

Starting all the Enterprise Vault services

Start the Enterprise Vault services on all the servers in the site.

Use the cluster administration tools to bring all the Enterprise Vault services online.

If there are multiple sites that share the Enterprise Vault Directory, you can start all Enterprise Vault services in the other sites.

Test that the cluster failover works correctly for Enterprise Vault.

Upgrading standalone Administration Consoles

This chapter includes the following topics:

- [About upgrading standalone Administration Consoles](#)
- [Upgrading a standalone Administration Console \(wizard\)](#)
- [Installing Enterprise Vault \(command line\)](#)
- [Creating an activation configuration file \(Windows 7 only\)](#)

About upgrading standalone Administration Consoles

If you have any computers on which you have installed the Enterprise Vault Administration Console component only, you must upgrade it. Note that the supported versions of Windows for standalone Administration Consoles are as follows:

- Windows 7
- Windows 8
- Windows 8.1
- Windows 10
- Windows Server 2012
- Windows Server 2016

Upgrading a standalone Administration Console (wizard)

To upgrade a standalone Administration Console

- 1 Log on to the computer as the Vault Service account.
- 2 Make sure that the Administration Console is not running.
- 3 Load the Enterprise Vault media.
- 4 If Windows AutoPlay is enabled on the server, Windows shows an AutoPlay dialog box. Click **Run Setup.exe**.

If AutoPlay is not enabled, use Windows Explorer to open the root folder of the installation media and then double-click the file `Setup.exe`.
- 5 In the list in the left pane of the **Veritas Enterprise Vault Install Launcher** window, click **Enterprise Vault**.
- 6 Click **Server Installation**.
- 7 In the right pane, click **Upgrade existing server**.
- 8 Click **Install**. The Enterprise Vault installation wizard starts.
- 9 Work through the installation to upgrade the Administration Console component.
- 10 On Windows 7 only, create an activation configuration file.

See [“Creating an activation configuration file \(Windows 7 only\)”](#) on page 54.

Installing Enterprise Vault (command line)

To upgrade the Administration Console from the command line

- 1 Log on to the computer as the Vault Service account.
- 2 Load the Enterprise Vault media.
- 3 If Windows AutoPlay is enabled on the server, Windows shows an AutoPlay dialog box. Close the AutoPlay dialog box.
- 4 Open a Command Prompt window and navigate to the following folder on the Enterprise Vault media:

```
\Veritas Enterprise Vault\Server
```

- 5 Run the appropriate setup file, as follows:
 - On a computer that runs 64-bit version of Windows:


```
"x64\setup (x64).exe" /s
```

- On a computer that runs 32-bit version of Windows:

```
"x86\setup (x86).exe" /s
```

- 6 On Windows 7 only, create an activation configuration file.

Creating an activation configuration file (Windows 7 only)

Standalone Administration Consoles on Windows 7 require an activation configuration file. For more information about activation configuration files, see the following Microsoft article:

[https://msdn.microsoft.com/library/ff361644\(v=vs.100\).aspx](https://msdn.microsoft.com/library/ff361644(v=vs.100).aspx)

To create an activation configuration file

- 1 Create an activation configuration file containing the following lines:

```
<?xml version="1.0" encoding="utf-8" ?>
<configuration>
  <startup useLegacyV2RuntimeActivationPolicy="true">
    <supportedRuntime version="v4.0"/>
  </startup>
</configuration>
```

- 2 Save the configuration file with the name `mmc.exe.activation_config`.
- 3 Set the `COMPLUS_ApplicationMigrationRuntimeActivationConfigPath` environment variable to the full path of the folder containing the configuration file.

Upgrading Enterprise Vault Reporting

This chapter includes the following topics:

- [Upgrading Enterprise Vault Reporting](#)
- [Installing the Enterprise Vault Reporting component](#)
- [Running the Enterprise Vault Reporting Configuration utility](#)

Upgrading Enterprise Vault Reporting

You must upgrade Enterprise Vault Reporting on the computers on which it is installed.

[Table 11-1](#) lists the steps that are required to upgrade Enterprise Vault Reporting.

Table 11-1 Steps to install Enterprise Vault Reporting

Step	Action	Description
Step 1	If you are upgrading from Enterprise Vault 11.0.x, remove the existing Symantec Enterprise Vault folder.	Use the Microsoft SQL Server Reporting Services Report Manager web application to remove the folder.
Step 2	Install the Enterprise Vault 12.3 Reporting component on each computer on which the Enterprise Vault Reporting component is installed.	See "Installing the Enterprise Vault Reporting component" on page 56.

Table 11-1 Steps to install Enterprise Vault Reporting (*continued*)

Step	Action	Description
Step 3	Run the Enterprise Vault Reporting Configuration utility on each computer on which the Enterprise Vault Reporting component is installed.	See “Running the Enterprise Vault Reporting Configuration utility” on page 57.

Installing the Enterprise Vault Reporting component

If you are upgrading from Enterprise Vault 11.0.x, you must remove the existing Symantec Enterprise Vault folder using the Microsoft SQL Server Reporting Services Report Manager web application before you install the Enterprise Vault 12.3 Reporting component.

You must install the Enterprise Vault 12.3 Reporting component on each computer on which the Enterprise Vault Reporting component is already installed.

If the Reporting component is installed on an Enterprise Vault server, you can install the Enterprise Vault 12.3 Reporting component when you install the other Enterprise Vault components.

Use the following procedure to install the Enterprise Vault Reporting component on any additional computers on which it is installed.

To install the Enterprise Vault Reporting component

- 1 Log on to the computer with the Vault Service account.
- 2 Load the Enterprise Vault media.
- 3 If Windows AutoPlay is enabled on the server, Windows shows an AutoPlay dialog box. Click **Run Setup.exe**.

If AutoPlay is not enabled, use Windows Explorer to open the root folder of the installation media and then double-click the file `Setup.exe`.
- 4 In the list in the left pane of the **Veritas Enterprise Vault Install Launcher** window, click **Enterprise Vault**.
- 5 Click **Server Installation**.
- 6 In the right pane, click **Upgrade existing server**.
- 7 Click **Install**. The Enterprise Vault installation wizard starts.
- 8 Work through the installation to upgrade the Enterprise Vault Reporting component.

Running the Enterprise Vault Reporting Configuration utility

Perform the following procedure on each computer on which the Enterprise Vault Reporting component is installed. Do not run the utility until you have done the following:

- Installed the Enterprise Vault 12.3 software on the Enterprise Vault servers.
- Installed the Enterprise Vault 12.3 Reporting component on each computer on which the Reporting component is installed.

To run the Enterprise Vault Reporting Configuration utility

- 1 Start the Reporting Configuration utility, **Enterprise Vault Reports Configuration**.
- 2 Select **Configure Reporting and deploy or upgrade reports**.
- 3 Type the domain, user name, and password for the Reporting user account.
- 4 Select the SQL Server Reporting Services instance.
- 5 Select the language in which to deploy the reports.
- 6 Select or type in the name of the Directory database SQL Server.
- 7 Click **Configure** to deploy the reports.

If the Reporting Configuration utility indicates that there was an error deploying Enterprise Vault reports, see the following technical note on the Veritas Support website:

<https://www.veritas.com/docs/100018177>

The Enterprise Vault Reporting Configuration utility synchronizes the report security settings with the current administrator roles. If you subsequently add, remove, or modify roles, Enterprise Vault must synchronize Enterprise Vault Reporting again to reflect the changes.

See "Enabling the synchronization of Enterprise Vault Reporting roles-based security" in the *Reporting* guide.

Upgrading MOM and SCOM

This chapter includes the following topics:

- [Upgrading MOM](#)
- [Upgrading the Enterprise Vault SCOM management pack](#)

Upgrading MOM

If you use Microsoft Operations Manager (MOM) to monitor Enterprise Vault events then you must install the new management pack.

To install the Enterprise Vault MOM management pack

- 1 Start the MOM Administrator Console.
- 2 In the left pane, right-click **Processing Rule Groups** and, on the shortcut menu, click **Import Management Pack**.
- 3 Select the Enterprise Vault Management Pack, `EnterpriseVault.akm`, and work through the rest of the **Import Options** wizard.

Upgrading the Enterprise Vault SCOM management pack

You must install the new Enterprise Vault management pack to use the improved monitoring.

About the supplied management packs

Table 12-1 describes the management packs that come with Enterprise Vault 12.3.

Table 12-1 SCOM management packs in Enterprise Vault

Management pack	Description
Veritas.EnterpriseVault.12.mp	Required for monitoring Enterprise Vault 12.3. Importing the pack creates an Enterprise Vault 12 node under the Veritas Enterprise Vault node in SCOM. This node contains all the servers with Enterprise Vault 12.x.
Veritas.EnterpriseVault.Library.mp	A common library that is required for monitoring all versions of Enterprise Vault.
Veritas.EnterpriseVault.12.Reports.mp	Required so that reports can be viewed.

You must import both the Veritas.EnterpriseVault.12.mp and Veritas.EnterpriseVault.Library.mp packs to implement the monitoring facilities in Enterprise Vault 12.3.

About the upgrade procedure

To upgrade, import the Enterprise Vault 12.3 management pack. You do not need to delete the previous versions.

After you have imported the Enterprise Vault 12.3 management packs, you may see two nodes if you have both Enterprise Vault 12.x and 11.0.x servers:

- **Veritas Enterprise Vault** - Enterprise Vault 12.x servers.
- **Symantec Enterprise Vault** - Enterprise Vault 11.0.1 or earlier servers.

To monitor the existing Enterprise Vault 11.0.x servers, you need to use the Enterprise Vault 11.0.x management packs. If you no longer need to monitor older versions of Enterprise Vault server, you can delete the previous Enterprise Vault management packs.

To delete the previous Enterprise Vault management packs

- 1** In the Operations console, click the **Administration** button.
- 2** In the **Administration** list, click **Management Packs**.
- 3** In the **Management Packs** pane, right-click the Enterprise Vault management pack and then click **Delete**.

If any other management packs depend on the Enterprise Vault pack, a "Dependent Management Packs" error message appears. Before you can continue, you must first take a backup copy of the dependent packs and then either delete them or edit them to remove their dependency on the Enterprise Vault pack.

Upgrading Exchange Server forms

This chapter includes the following topics:

- [About upgrading Exchange Server forms](#)

About upgrading Exchange Server forms

By default, Enterprise Vault deploys the Exchange Server forms to users' computers automatically.

If you use forms from the Organization Forms Library instead of using the Enterprise Vault client to deploy the forms automatically then you must upgrade the forms in the Organization Forms Library.

If you decide to upgrade the forms that are in the Organization Forms Library, follow the instructions in the "Distributing Exchange Server Forms" chapter of *Setting up Exchange Server Archiving*.

Note the following:

- When you upgrade or reinstall the Enterprise Vault forms `EVPendingArchive.fdm`, `EVShortcut.fdm`, `EVPendingDelete.fdm`, `EVPendingRestore.fdm`, and `EVPendingArchiveHTTP.fdm`, **always uninstall the existing copies first. Do not install the new forms on top of the existing copies.**
- By default, Enterprise Vault deploys the forms automatically into personal forms libraries.

Upgrading Domino mailbox archiving

This chapter includes the following topics:

- [About upgrading Domino mailbox archiving](#)
- [Domino client version required to run EVInstall.nsf](#)
- [Preparing for the upgrade of Domino mailbox archiving](#)
- [Upgrading Domino mailbox archiving](#)
- [Granting the Domino archiving user access to mail files](#)
- [Identifying internal mail recipients](#)
- [Run the Domino provisioning task](#)

About upgrading Domino mailbox archiving

You must follow the instructions in this chapter to upgrade Domino mailbox archiving after you have upgraded the Enterprise Vault server software.

Domino client version required to run EVInstall.nsf

You must use a suitable version of the Notes client on the workstation from which you run `EVInstall.nsf`.

The version of the Notes client must be no older than the newest version of the Domino Server that is installed on the Enterprise Vault Domino Gateway and the Domino mail servers.

Preparing for the upgrade of Domino mailbox archiving

This section describes how to prepare your Domino servers for the upgrade of Domino mailbox archiving.

Complete the following procedure on all Enterprise Vault Domino Gateway servers and on all Domino mail servers on which you have updated these forms to include the Enterprise Vault customizations:

- `Forms9.nsf`
- `Forms85.nsf`
- `Forms8.nsf`

Note: The following procedure requires you to replace the forms files with the original Domino versions. When you replace the forms files you lose any non-Enterprise Vault customizations that you made to them. If you made any non-Enterprise Vault customizations to the forms files, you must reapply these changes to the files after you have upgraded Enterprise Vault.

To prepare for the upgrade of Domino mailbox archiving

- 1 Stop the HTTP task.
- 2 Skip this step for Domino 9.

Delete `Forms85_x.nsf` if it exists on the server.
- 3 Skip this step for Domino 9.

Replace the `Forms85.nsf`, and `Forms8.nsf` files with the original Domino versions that you backed up before you installed the previous version of Enterprise Vault.
- 4 If the forms databases have replication enabled, the changes that EVInstall makes are replicated to all Domino mail servers. If you want to prevent the replication to other mail servers, disable the replication of `Forms8.nsf`, `Forms85.nsf`, and `Forms9.nsf`.
- 5 Update the ACLs on the original Domino `.nsf` files to give Manager access to the ID of the user that will run EVInstall.

Upgrading Domino mailbox archiving

This section describes how to upgrade Domino mailbox archiving.

To upgrade Domino mailbox archiving

- 1 Make sure that you have a suitable version of the Notes client installed on the workstation from which you want to run `EVInstall.nsf`.

See [“Domino client version required to run EVInstall.nsf”](#) on page 62.

- 2 Do the following in the order listed:

- From your chosen workstation, connect to the Enterprise Vault Domino Gateway server and run `EVInstall.nsf`.
- In the application page, select the Enterprise Vault Domino Gateway and a target Domino mail server.
- If you use the browser-based Enterprise Vault Search facilities or you require iNotes (DWA), select **Modify Domino Web Access Forms Files**.
- Click **Install Veritas Enterprise Vault 12 database design templates** to start the process.
The application takes several minutes to create the new Enterprise Vault templates.

- 3 Deploy the templates created on the Domino mail server to each target Domino mail server that has the same Domino Server version. For example, if you ran `EVInstall.nsf` against a Domino Server 8.5.3 target server, deploy the templates to all Domino Server 8.5.3 mail servers.

Deploy the templates by creating replicas of the Enterprise Vault mail templates and running `Load Design` on each mail server.

It is important that you copy the templates created on the Domino mail server and not those created on the Enterprise Vault Domino Gateway.

Note that the command `Load Design` updates all databases on the server. It may be quicker to restrict the scope of the command so that it updates just those databases that need changing. In this case, use the command's `-I` or `-d` or `-f` switches to update all Enterprise Vault mail databases that have had any of the following templates applied to them:

- `ev_dwa*.ntf`
- `ev_iNotes*.ntf`
- `ev_Mail*.ntf`

See the Domino help for more information about Load Design switches.

- 4 If you have other target mail servers with different Domino Server versions (for example, 8.5.2), do the following until you have deployed the templates to all mail server targets:

- Run `EVInstall.nsf` again.
- In the application page, clear the **Enterprise Vault Domino Gateway** selection.
- Select a target Domino mail server.
- If you require iNotes (DWA), select **Modify Domino Web Access Forms Files**.
- Click **Install Veritas Enterprise Vault 12 database design templates** to start the process.
 The application takes several minutes to create the new Enterprise Vault templates.
- Deploy the templates and run `Load Design` as before, on each mail server.

Granting the Domino archiving user access to mail files

The Domino archiving user account needs permissions to all the mail files to be archived. We recommend that you provide **Manager** access to the mail files.

The account requires a minimum of **Editor** access with **Delete Documents** and **Create shared folders/views**.

Note: If you intend not to archive unread items then the Domino archiving user requires Manager access to the mail files. This is because Domino requires Manager access in order to determine which items are unread.

If Domino administrators have Manager access to all mail files, you can use the Manage ACL tool in the Domino Administrator client to add the Domino archiving user to all mail databases.

Repeat the following steps for each target Domino mail server.

To add the Domino archiving user to all mail databases

- 1 In the Domino Administrator client, navigate to the Domino mail server and click the **Files** tab.
- 2 In the tasks pane, click the **Mail** folder to display a list of all the mail databases in the results pane.
- 3 Select the first mail database, and then press Shift+End to select all the mail databases.
- 4 Right-click and select **Access Control > Manage**.

- 5 Click **Add** and then click the person icon to select the Domino archiving user from the Domino directory list. Click **OK**.
- 6 When the user is in the **Access Control List** dialog box, change the set **User Type** to **Person** and **Access** to **Manager**.
- 7 Select **Delete documents**.
- 8 Click **OK** to add the user to the ACL of all mail databases selected.

If no user has Manager access to every mail database, then do the following:

- Place the Domino server administrator's user name in the Full Access Administrators field in the server document.
- Restart the Domino server.
- In the Domino Administrator client, choose **Administration > Full Access Administration** and complete the procedure described above.
- If necessary, the administrator can then be removed from the Full Access Administrators field.

Identifying internal mail recipients

You can specify that Enterprise Vault must perform a local address lookup for specific Notes domains. The local lookup enables Enterprise Vault to identify the Notes user name for messages that are addressed to alternate email addresses. The local lookup results can aid searching in the web applications and in Compliance Accelerator and Discovery Accelerator.

In order to specify the domains that require local address lookup, you must make some changes to the registry on the Enterprise Vault servers that run the journaling and archiving tasks.

To specify local lookup domains

- 1 On an Enterprise Vault server that runs a Domino archiving or journaling task, create a new registry key named **NotesDomains** in the following location:

```
HKEY_LOCAL_MACHINE
\SOFTWARE
\Wow6432Node
\KVS
\Enterprise Vault
\Agents
```

- 2 Under the new **NotesDomains** key, create a subkey for each Notes domain. For example, if you have Notes domains 'MyNotesDomain1' and 'MyNotesDomain2' you create subkeys 'MyNotesDomain1' and 'MyNotesDomain2'.
- 3 Under each of the Notes domain subkeys, create a new String value named **InternalSMTPDomains**.
- 4 Assign to each InternalSMTPDomains value a string that lists the domains for which you want to use local lookup. Use semi-colons (;) to separate domains. For example:

```
exampledomain1.com;exampledomain2.com
```

- 5 Under each of the Notes domain subkeys, create a new DWORD value called **EnableLocalPartLookup**.
- 6 Give **EnableLocalPartLookup** one of the following values:
 - 0 to disable local part lookup
 - 1 to enable local part lookup
- 7 Repeat all these steps for other Enterprise Vault servers that run Domino archiving or journaling tasks.

Table 14-1 shows how the NotesDomains registry key controls how Enterprise Vault identifies internal mail recipients.

Table 14-1 Effects of NotesDomains registry key

Registry key or value	Effect on Enterprise Vault behavior
NotesDomains key is missing	Full address lookup and a warning in the event log.

Table 14-1 Effects of NotesDomains registry key (*continued*)

Registry key or value	Effect on Enterprise Vault behavior
NotesDomains key is present but has no key for the current Notes domain	Original address is recorded. No lookup.
NotesDomains key is present and has a key for the current Notes domain	<ul style="list-style-type: none">■ If EnableLocalPartLookup is set to 0, perform a full address lookup.■ If EnableLocalPartLookup is set to 1, perform a full address and local part lookup for addresses that match the Domain. <p>If the InternalSMTPDomains list is present and the SMTP domain matches a domain in the list, SMTP messages being archived from journals are checked with full address and local part lookup.</p> <p>If the InternalSMTPDomains list is not present or there is no match, full address lookup is used.</p>

Run the Domino provisioning task

When you have completed the upgrade of Domino mailbox archiving, you must run the Domino provisioning task to synchronize Domino permissions to Enterprise Vault archives.

Upgrading the FSA Agent

This chapter includes the following topics:

- [Compatible versions of the FSA Agent and Enterprise Vault server](#)
- [About upgrading the FSA Agent](#)
- [Upgrading FSA Agent services that are clustered for high availability](#)
- [Upgrading the FSA Agent on a target Windows file server from the Administration Console](#)
- [Upgrading the FSA Agent on an FSA Reporting proxy server from the Administration Console](#)
- [Upgrading the FSA Agent manually](#)

Compatible versions of the FSA Agent and Enterprise Vault server

The Enterprise Vault 12.3 version of the FSA Agent supports File System Archiving from Windows file servers that run Windows Server 2008 R2 SP1 or later.

Note that the Enterprise Vault 11.0 and 11.0.1 versions of FSA Agent support archiving from Windows Server 2008 R2 or earlier. These versions of the FSA Agent are compatible with Enterprise Vault 12.3, so you can continue to archive from these servers after you upgrade to Enterprise Vault 12.3. However, if you remove the servers as archiving targets, you cannot add them back again.

Enterprise Vault 12.3 does not support File Blocking. If you are upgrading from Enterprise Vault 12.1 or earlier, the upgrade process removes the Enterprise Vault File Blocking service from the file server.

For more details of the compatible versions of the FSA Agent and Enterprise Vault server, see the following documents:

- The Enterprise Vault [Compatibility Charts](#).
- For compatibility with Enterprise Vault Reporting, the technical note at <https://www.veritas.com/docs/100030221>.

About upgrading the FSA Agent

We recommend that you upgrade the FSA Agent on the Windows computers on which it is installed. Support is provided for backward compatibility, but new features may not be available until the FSA Agent version is aligned with the Enterprise Vault server version.

Note the following:

- Do not install the FSA Agent on Enterprise Vault servers. Enterprise Vault servers do not require the FSA Agent.
- As part of the upgrade process, you are prompted for a compulsory restart of the file server.
- Enterprise Vault 12.3 does not support File Blocking. If you are upgrading from Enterprise Vault 12.1 or earlier, the upgrade process removes the Enterprise Vault File Blocking service from the file server.

FSA Agent installation requires an up-to-date root certificate on the target computer. Certificate updates usually happen automatically over the Internet. If the certificate is out-of-date, for example because the computer has no Internet connection, the FSA Agent installation fails with a “Signature verification failed” error in the FSA Agent installation log. For more details and for instructions on how to update the root certificate, see the following technical note on the Veritas Support website:

<https://www.veritas.com/docs/100023437>

You can upgrade the FSA Agent from an Enterprise Vault Administration Console, or by installing the files manually on the file server.

To install or upgrade the FSA Agent you must use an account that is a member of the local Administrators group on the file server.

If you upgrade the FSA Agent from the Administration Console then if the file server's firewall is enabled it must be suitably configured. Otherwise the Administration Console wizard fails with the message “Error: The RPC server is unavailable”. See the following technical note on the Veritas Support website:

<https://www.veritas.com/docs/100022335>

Table 15-1 describes the options for upgrading the FSA Agent.

Table 15-1 Upgrading the FSA Agent

To do this	See this section
Upgrade FSA Agent services that are clustered for high availability.	See “Upgrading FSA Agent services that are clustered for high availability” on page 71.
Upgrade the FSA Agent on target Windows file servers from the Administration Console.	See “Upgrading the FSA Agent on a target Windows file server from the Administration Console” on page 72.
Upgrade the FSA Agent on FSA Reporting proxy servers from the Administration Console.	See “Upgrading the FSA Agent on an FSA Reporting proxy server from the Administration Console” on page 73.
Upgrade the FSA Agent manually.	See “Upgrading the FSA Agent manually” on page 75.

Upgrading FSA Agent services that are clustered for high availability

Note that Enterprise Vault 12.3 does not support File Blocking. If you are upgrading from Enterprise Vault 12.1 or earlier, the upgrade process removes the Enterprise Vault File Blocking service from the file server.

Use this procedure to upgrade FSA Agent services that are clustered for high availability.

To upgrade FSA Agent services that are clustered for high availability

- 1 Perform these steps in the order shown:
 - Run the Enterprise Vault Administration Console with an account that is a member of the local Administrators group on each file server node. The account must also have Full Control permission on the Enterprise Vault server's `FSA Cluster` folder. This folder is in the `Utilities` subfolder of the Enterprise Vault installation folder; for example, `C:\Program Files (x86)\Enterprise Vault\Utilities\FSA Cluster`.
 - In the Administration Console, expand the Enterprise Vault site.
 - Expand the **Targets** container and then the **File Servers** container.
 - Right-click the clustered file server and then, on the shortcut menu, click **FSA Cluster Configuration**.

- Select the option **Remove the FSA resource from all groups** to remove the FSA resource.
- 2 Upgrade the FSA Agent on the clustered file server by using one of the following methods:
 - Upgrade the FSA Agent from the Administration Console.
See [“Upgrading the FSA Agent on a target Windows file server from the Administration Console”](#) on page 72.
 - Upgrade the FSA Agent manually on each file server node.
See [“Upgrading the FSA Agent manually”](#) on page 75.
- 3 Perform the following steps in the order shown to reconfigure the FSA services for high availability:
 - Run the Enterprise Vault Administration Console with an account that is a member of the local Administrators group on each file server node. The account must also have Full Control permission on the Enterprise Vault server's `FSA Cluster` folder. This folder is in the `Utilities` subfolder of the Enterprise Vault installation folder, for example `C:\Program Files (x86)\Enterprise Vault\Utilities\FSA Cluster`.
 - In the Administration Console, expand the Enterprise Vault site.
 - Expand the **Targets** container and then the **File Servers** container.
 - Right-click the clustered file server and then, on the shortcut menu, click **FSA Cluster Configuration**.
 - Select the option **Add, remove or reconfigure the FSA resource for groups that have shared disks**, and add the FSA resource back to the groups that have a shared disk.

Upgrading the FSA Agent on a target Windows file server from the Administration Console

Use the following procedure to upgrade the FSA Agent by using the Administration Console's Install FSA Agent wizard.

Before you upgrade the FSA Agent on a target Windows file server, note that while the upgrade proceeds, Enterprise Vault stops the following FSA Agent services on the file server:

- Enterprise Vault File Placeholder service. While this service is stopped, Enterprise Vault cannot create placeholders or perform placeholder recalls on the Windows file server.

- Enterprise Vault File Collector service. While this service is stopped, no FSA Reporting scans run on the following:
 - The file server.
 - Any non-Windows file servers for which the file server acts as the FSA Reporting proxy server.
- Enterprise Vault 12.3 does not support File Blocking. If you are upgrading from Enterprise Vault 12.1 or earlier, the upgrade process removes the Enterprise Vault File Blocking service from the file server.

To upgrade the FSA Agent on a target Windows file server from the Administration Console

- 1 Run the Enterprise Vault Administration Console with an account that is a member of the local Administrators group on the file server.
- 2 In the Administration Console, expand the Enterprise Vault site until the **Targets** container is visible.
- 3 Expand the **Targets** container.
- 4 Expand the **File Servers** container.
- 5 Right-click the file server on which you want to upgrade the FSA Agent and then, on the shortcut menu click **Install FSA Agent**.
- 6 Work through the wizard.

Note: As part of the upgrade process, you may be prompted to restart the file server.

Upgrading the FSA Agent on an FSA Reporting proxy server from the Administration Console

This section applies if you use FSA Reporting with non-Windows file servers.

If you have configured any target Windows file servers or other Windows servers as FSA Reporting proxy servers, you can upgrade the FSA Agent on the proxy servers from the Administration Console.

Before you upgrade the FSA Agent on a target Windows file server, note that while the upgrade proceeds, Enterprise Vault stops the following FSA Agent services on the file server:

- Enterprise Vault File Placeholder service. While this service is stopped, Enterprise Vault cannot create placeholders or perform placeholder recalls on the Windows file server.
- Enterprise Vault File Collector service. While this service is stopped, no FSA Reporting scans run on the following:
 - The file server.
 - Any non-Windows file servers for which the file server acts as the FSA Reporting proxy server.
- Enterprise Vault 12.3 does not support File Blocking. If you are upgrading from Enterprise Vault 12.1 or earlier, the upgrade process removes the Enterprise Vault File Blocking service from the file server.

To upgrade the FSA Agent on an FSA Reporting proxy server from the Administration Console

- 1 Run the Enterprise Vault Administration Console with an account that is a member of the local Administrators group on the FSA Reporting proxy server.
- 2 In the Administration Console, expand the Enterprise Vault site until the **Targets** container is visible.
- 3 Expand the **Targets** container.
- 4 Expand the **File Servers** container.
- 5 Right-click the target non-Windows file server and on the shortcut menu click **Upgrade FSA Agent on proxy server for FSA Reporting**.

This option is not available if the FSA Reporting proxy server is an Enterprise Vault server. Enterprise Vault servers do not require the FSA Agent.

If the proxy server is a target Windows file server, Enterprise Vault displays a dialog box to warn that the FSA Agent services stop while the upgrade proceeds. Click **Yes** if you want to continue.

- 6 Work through the wizard to upgrade the version of the FSA Agent on the FSA Reporting proxy server.

Note: As part of the upgrade process, you may be prompted to restart the file server.

Upgrading the FSA Agent manually

Use the following procedure to upgrade the FSA Agent on a server by installing the required files manually.

Before you upgrade the FSA Agent on a target Windows file server, note that while the upgrade proceeds, Enterprise Vault stops the following FSA Agent services on the file server:

- Enterprise Vault File Placeholder service. While this service is stopped, Enterprise Vault cannot create placeholders or perform placeholder recalls on the Windows file server.
- Enterprise Vault File Collector service. While this service is stopped, no FSA Reporting scans run on the following:
 - The file server.
 - Any non-Windows file servers for which the file server acts as the FSA Reporting proxy server.
- Enterprise Vault 12.3 does not support File Blocking. If you are upgrading from Enterprise Vault 12.1 or earlier, the upgrade process removes the Enterprise Vault File Blocking service from the file server.

To upgrade the FSA Agent manually

- 1 Find the required files on the Enterprise Vault server. The files are in the `evpush\Agent` folder under the Enterprise Vault installation folder; for example, `C:\Program Files (x86)\Enterprise Vault\evpush\Agent`.
- 2 Install the required Microsoft Visual C++ redistributable packages on the file server:
 - `vcredist_x86.exe`
 - `vcredist_x64.exe`
- 3 Log on to the file server with an account that is a member of the local Administrators group on the file server.
- 4 Run the Enterprise Vault File System Archiving `x64.msi` file on the file server.

Note: As part of the upgrade process, you may be prompted to restart the file server.

Upgrading Enterprise Vault Office Mail App

This chapter includes the following topics:

- [About upgrading Enterprise Vault Office Mail App](#)

About upgrading Enterprise Vault Office Mail App

If you have deployed the Enterprise Vault Office Mail App, then you need to upgrade the deployed version after you have upgraded the Enterprise Vault server.

To upgrade Enterprise Vault Office Mail App

- 1 On the Exchange Server, rerun the New-App command that you originally used to deploy the Enterprise Vault Office Mail App.

The New-App command lines for deploying the application to individual or multiple users are given in the section, "Deploying the Enterprise Vault Office Mail App", in *Setting up Exchange Server Archiving*.

- 2 On the Enterprise Vault server, synchronize the mailboxes to which you have deployed the Enterprise Vault Office Mail App.

If the Exchange Mailbox Archiving task is set to run automatically, it synchronizes mailboxes the next time it runs. Alternatively, you can synchronize the mailboxes manually using the Enterprise Vault Administration Console. Open the properties dialog box of the Exchange Mailbox Archiving task, and select the **Synchronization** tab for the manual synchronization options.

Upgrading OWA Extensions

This chapter includes the following topics:

- [About upgrading OWA Extensions](#)
- [Upgrading Enterprise Vault OWA 2010 Extensions](#)

About upgrading OWA Extensions

This chapter describes how to upgrade the Enterprise Vault OWA 2010 Extensions to Enterprise Vault 12.3.

You must upgrade the Enterprise Vault OWA Extensions on each Exchange Server CAS computer in your Enterprise Vault environment.

If you have problems when you install the Enterprise Vault OWA Extensions, see the following technical note on the Veritas Support website:

<https://www.veritas.com/docs/100020572>

This technical note gives detailed troubleshooting information for the Enterprise Vault OWA Extensions.

Upgrading Enterprise Vault OWA 2010 Extensions

To upgrade the Enterprise Vault OWA 2010 Extensions, perform the following steps on each Exchange 2010 CAS server.

To upgrade Enterprise Vault OWA 2010 Extensions

- 1** Load the Enterprise Vault media.
- 2** If Windows AutoPlay is enabled on the server, Windows shows an AutoPlay dialog box. Click **Run Setup.exe**.

If AutoPlay is not enabled, use Windows Explorer to open the root folder of the installation media and then double-click the file `Setup.exe`.
- 3** In the list in the left pane of the **Veritas Enterprise Vault Install Launcher** window, click **Enterprise Vault**.
- 4** Click **Client Installation**.
- 5** In the right pane, click **OWA Extensions** and then **Open folder**. Windows Explorer starts in the OWA Extensions folder.
- 6** Open the `OWA 2010 Extensions` folder.
- 7** Double-click the file `Veritas Enterprise Vault OWA 2010 Extensions x64.msi` to start the installation.
- 8** Follow the installation instructions.
- 9** From a browser, enter the URL for the Exchange 2010 CAS server. Open an OWA client and check that you can view archived items.

Upgrading SharePoint Server components

This chapter includes the following topics:

- [About upgrading the SharePoint components](#)
- [Upgrading the Enterprise Vault SharePoint components](#)

About upgrading the SharePoint components

This chapter describes how to upgrade Enterprise Vault SharePoint components.

Note: You must upgrade the SharePoint components. The version of the SharePoint components must match the version of Enterprise Vault that is installed on the Enterprise Vault servers.

The upgrade path depends on your version of SharePoint, as follows:

- You can upgrade Enterprise Vault components on any of the following:
 - Microsoft SharePoint Foundation 2010
 - Microsoft SharePoint 2010
 - Microsoft SharePoint Server 2013
 - Microsoft SharePoint Foundation 2013
 - Microsoft SharePoint Server 2016

See [“Upgrading the Enterprise Vault SharePoint components”](#) on page 80.

- If you have started a gradual migration to upgrade SharePoint, finish the migration before you upgrade Enterprise Vault.

Upgrading the Enterprise Vault SharePoint components

Upgrade the Enterprise Vault SharePoint components on each of your SharePoint Server computers.

To upgrade the Enterprise Vault SharePoint components

- 1 Log on to the SharePoint Server as one of the following:
 - The SharePoint Server farm account. This account is sometimes known as the SharePoint database access account.
 - An account that has sufficient permissions to the SharePoint_Config database (the configuration database). The account must be a member of the following SQL Server security roles on the SharePoint_Config database: SharePoint_Shell_Access and WSS_Content_Application_Pools.
 The Vault Service account can be used provided it has these permissions.
- 2 On your SharePoint Server computer, load the Enterprise Vault media.
- 3 If Windows AutoPlay is enabled on the server, Windows shows an AutoPlay dialog box. Click **Run Setup.exe**.
 If AutoPlay is not enabled, use Windows Explorer to open the root folder of the installation media and then double-click the file `Setup.exe`.
- 4 In the list in the left pane of the **Veritas Enterprise Vault Install Launcher** window, click **Enterprise Vault**.
- 5 Click **Server Installation**.
- 6 In the right pane, click **Upgrade existing server** to start the installation.
- 7 On the **Select Components to Install** screen, ensure that only **Microsoft SharePoint Components** is selected.
- 8 Click **Next**.
- 9 Work through the remainder of the installation wizard.

Upgrading SMTP archiving

This chapter includes the following topics:

- [Checking the SMTP journaling type configuration](#)
- [Migrating existing targets to provisioning groups](#)
- [Checking the permissions of the SMTP Archiving task account](#)
- [Checking the "Journal report processing" advanced SMTP policy setting](#)
- [Checking the "Selective Journal Archiving" site setting](#)
- [Implementing Skype for Business and SMTP Archiving](#)
- [About upgrading legacy SMTP archiving components](#)

Checking the SMTP journaling type configuration

In Enterprise Vault 12.3, you must specify the type of SMTP journaling that you want to configure for new SMTP target addresses. For existing SMTP addresses, the upgrade process determines the journaling type based on the advanced SMTP site setting, **Selective Journal Archiving**, and the archiving configuration of each SMTP target address.

Additionally, the supported archive types for each type of SMTP journaling are as follows:

- SMTP, Shared, Exchange Journal, and Domino Journal archives - For SMTP addresses that are configured for SMTP Journaling and SMTP Group Journaling.
- Exchange Mailbox and Internet Mail archives - For SMTP addresses that are configured for SMTP Mailbox Journaling.

After the upgrade is complete, if any targets are linked to unsupported archives, such as File System or SharePoint, you need to assign the appropriate archives manually. You can use SQL queries to retrieve details of such archives.

See [“Finding SMTP targets that are assigned to unsupported archive types”](#) on page 85.

[Table 19-1](#) details how Enterprise Vault determines the journaling type of existing SMTP target addresses.

Table 19-1 How Enterprise Vault determines the SMTP journaling type

"Selective Journal Archiving" site setting	Archive configuration	Determined Target Type
Non-selective	<ul style="list-style-type: none">Archive type is Domino Journal, Exchange Journal, Shared, or SMTP.	<p>SMTP Journaling.</p> <p>For example,</p> <p>SMTPTarget1 > SMTPArchive</p> <p>SMTPTarget2 > SharedArchive</p> <p>SMTPTarget3 > ExchangeJournalArchive</p> <p>SMTPTarget4 > DominoJournalArchive</p> <p>In this case, SMTPTarget1, SMTPTarget2, SMTPTarget3, and SMTPTarget4 will be considered as SMTP Journaling targets.</p>

Table 19-1 How Enterprise Vault determines the SMTP journaling type
(continued)

"Selective Journal Archiving" site setting	Archive configuration	Determined Target Type
Non-selective	<ul style="list-style-type: none"> Archive type is other than Domino Journal, Exchange Journal, Shared, or SMTP. 	<p>SMTP Journaling.</p> <p>For example,</p> <p>SMTPTarget1 > ExchangeMailboxArchive</p> <p>SMTPTarget2 > InternetMailArchive</p> <p>SMTPTarget3 > FSAArchive</p> <p>Enterprise Vault continues to archive messages from these SMTP target addresses to the existing unsupported archive. However, if you want to assign multiple archives to this target, you need to delete the address and add it again with the supported archive types.</p>
Inclusive or Exclusive	<ul style="list-style-type: none"> SMTP target addresses are associated with a single archive each. Archive type is Domino Journal, Exchange Journal, Shared, or SMTP. 	<p>SMTP Journaling.</p> <p>For example,</p> <p>SMTPTarget1 > SMTPArchive</p> <p>SMTPTarget2 > SharedArchive</p> <p>SMTPTarget3 > ExchangeJournalArchive</p> <p>In this case, SMTPTarget1, SMTPTarget2, and SMTPTarget3 will be considered as SMTP Journaling targets.</p>

Table 19-1 How Enterprise Vault determines the SMTP journaling type
(continued)

"Selective Journal Archiving" site setting	Archive configuration	Determined Target Type
Inclusive or Exclusive	<ul style="list-style-type: none"> ■ SMTP target addresses are associated with a single archive each. ■ Archive type is Exchange Mailbox or Internet Mail archives. 	<p>SMTP Mailbox Journaling.</p> <p>For example,</p> <p>SMTPTarget1 > ExchangeMailboxArchive</p> <p>SMTPTarget2 > InternetMailArchive</p> <p>In this case, SMTPTarget1, and SMTPTarget2 will be considered as SMTP Mailbox Journaling targets.</p>
Inclusive or Exclusive	<ul style="list-style-type: none"> ■ SMTP target addresses are associated with a single archive each. ■ Archive type is other than SMTP, Shared, Exchange Journal, Domino Journal, Exchange Mailbox, or Internet Mail archives. 	<p>SMTP Mailbox Journaling.</p> <p>For example,</p> <p>SMTPTarget1 > SharePointArchive</p> <p>SMTPTarget2 > ExchangePublicFolderArchive</p> <p>SMTPTarget3 > FSAArchive</p> <p>Enterprise Vault continues to archive messages from these SMTP target addresses to the existing unsupported archive. However, if you want to assign multiple archives to this target, you need to delete the address and add it again with the supported archive types.</p>
Inclusive or Exclusive	<ul style="list-style-type: none"> ■ Multiple SMTP target addresses are associated with the same archive. ■ Archive type is Domino Journal, Exchange Journal, Shared, or SMTP. 	<p>SMTP Group Journaling.</p> <p>For example,</p> <p>SMTPTarget1, SMTPTarget2, and SMTPTarget3 > SMTPArchive</p> <p>In this case, SMTPTarget1, SMTPTarget2, and SMTPTarget3 will be considered as SMTP Group Journaling targets.</p>

Table 19-1 How Enterprise Vault determines the SMTP journaling type
(continued)

"Selective Journal Archiving" site setting	Archive configuration	Determined Target Type
Inclusive or Exclusive	<ul style="list-style-type: none"> Multiple SMTP target addresses are associated with the same archive. Archive type is other than SMTP, Shared, Exchange Journal, or Domino Journal. 	<p>SMTP Group Journaling.</p> <p>For example,</p> <p>SMTPTarget1, SMTPTarget2, and SMTPTarget3 > SharePointArchive</p> <p>Enterprise Vault continues to archive messages from these SMTP target addresses to the existing unsupported archive. However, if you want to assign multiple archives to this target, you need to delete the address and add it again with the supported archive types.</p>

Finding SMTP targets that are assigned to unsupported archive types

Enterprise Vault 12.3 supports only archive types Exchange Mailbox and Internet Mail archives for SMTP Mailbox Journaling. The archive types that you can use for SMTP Journaling and SMTP Group Journaling are SMTP, Shared, or Exchange Journal, or Domino Journal archives.

After the upgrade is complete, if any of the existing SMTP targets are assigned to unsupported archive types, such as File System or SharePoint, you need to associate them with valid archive types.

On the SQL server that hosts the Directory database, run the following SQL query to retrieve the list of targets that are assigned to unsupported archive types:

```
USE EnterpriseVaultDirectory
SELECT ST.TargetId, ST.Address, A.ArchiveName, AT.Name AS 'ArchiveType',
CASE      WHEN ST.TargetType = 1 THEN 'SMTP Journaling'
WHEN ST.TargetType = 2 THEN 'SMTP Mailbox Journaling'
WHEN ST.TargetType = 3 THEN 'SMTP Group Journaling'
ELSE 'Legacy'
END AS WronglyDetectedTargetType
FROM Smtptarget ST
INNER JOIN SmtptargetArchives STA ON STA.TargetId = ST.TargetId
INNER JOIN Root R ON R.RootIdentity = STA.RootIdentity
```

```
INNER JOIN Archive A ON A.RootIdentity = STA.RootIdentity
INNER JOIN ArchiveType AT ON AT.Type = R.Type
WHERE R.Type NOT IN (5, 17, 513, 2049) AND ST.TargetType IN (1, 3)
UNION
SELECT ST.TargetId, ST.Address, A.ArchiveName, AT.Name AS 'ArchiveType',
CASE      WHEN ST.TargetType = 1 THEN 'SMTP Journaling'
WHEN ST.TargetType = 2 THEN 'SMTP Mailbox Journaling'
WHEN ST.TargetType = 3 THEN 'SMTP Group Journaling'
ELSE 'Legacy'
END AS WronglyDetectedTargetType
INNER JOIN SmtptargetArchives STA ON STA.TargetId = ST.TargetId
INNER JOIN Root R ON R.RootIdentity = STA.RootIdentity
INNER JOIN Archive A ON A.RootIdentity = STA.RootIdentity
INNER JOIN ArchiveType AT ON AT.Type = R.Type
WHERE R.Type NOT IN(9, 4097) AND ST.TargetType = 2
```

This query returns information about each target such as the ID of the target, the SMTP target address, name of the archive, and the archive type. You can export the retrieved results to a CSV or TXT file.

If you want to assign multiple archives to this target, you need to delete the address and add it again with the supported archive types.

Migrating existing targets to provisioning groups

SMTP targets that you added in a previous release of Enterprise Vault will continue to work in Enterprise Vault 12.3. In the Administration Console, existing targets are located under **Targets > SMTP > Manual targets**.

To take advantage of the easier maintenance provided by the SMTP provisioning feature in Enterprise Vault 12.3 and later, you may decide to migrate some or all of your existing targets to SMTP provisioning groups. Before you migrate targets to provisioning groups, read the "Planning your configuration" topic and "Provisioning users for SMTP Group or SMTP Mailbox Journaling" chapter in the *Setting up SMTP Archiving* guide.

Points to note when you configure the provisioning groups for the target users:

- In Enterprise Vault 12.3, you can assign multiple archives to a single SMTP Group Journaling provisioning group.
- Only Internet Mail archives are supported in SMTP Mailbox Journaling provisioning groups. If your existing SMTP Mailbox Journaling targets use Exchange Mailbox archives for SMTP messages, these archives are no longer used under provisioning. Instead, provisioning creates new Internet Mail archives

for each of these users. If a user already has an Internet Mail archive, then Enterprise Vault links that archive to the SMTP target.

To migrate existing targets to provisioning groups

- 1 Create the required SMTP Group or Mailbox Journaling provisioning groups, and add the target users. Add Active Directory target users by selecting one of the menu options other than **Email address**.

Use the **Email address** option to add to the provisioning group the target SMTP address of a user who is not associated with an Active Directory account. For example, you can use this option to add to the group users who are external to your organization.

- 2 Check that the target users are in the correct provisioning groups.
- 3 Check that the provisioning groups are in the required order.

Enterprise Vault processes the groups from the top of the list down. If a user appears in more than one provisioning group, they are only provisioned in the first group in which they appear.

- 4 We strongly recommend that you stop the SMTP Archiving task until the provisioning run below has finished. This ensures that messages that arrive during the period when the original targets are deleted and the users are provisioned are not lost.
- 5 When you have checked that a user in the manual targets is included in a provisioning group, you can delete the manual target. Enterprise Vault does not provision the target user as a member of the group until you delete the existing target under **Manual targets**.
- 6 Run the SMTP provisioning task, and then check the provisioning task reports.

Checking the permissions of the SMTP Archiving task account

Adjustments have been made to the permissions that are required to run the SMTP Archiving task. The advice in this section only applies if your configuration fulfils the following criteria:

- The SMTP Archiving task runs under an account other than the Vault Service account
- Your environment contains Enterprise Vault storage servers that do not host an SMTP Archiving task

After you have upgraded Enterprise Vault, check the members of the local Administrators group on any Enterprise Vault storage servers that do not host an

SMTP Archiving task. If the group includes the SMTP Archiving task account, then we recommend that you remove it from the group if there is no other reason for the account having this permission. Obviously you should not remove the account from the group if, for example, another Enterprise Vault task on that server is configured to run under the account.

Checking the "Journal report processing" advanced SMTP policy setting

A new value has been added to the **Journal report processing** advanced SMTP policy setting called **Process journal reports for journal archives only**. This new value is now the default value for journal report processing.

After you have upgraded, check that the value that is assigned to the **Journal report processing** setting is the one that you want. It can have the following values:

- **Process journal reports for journal archives only**
This is the new value and the default setting. If the value was **Process journal reports** before upgrading, then this value is assigned during the upgrade.
- **Process journal reports for all archives**
This is the equivalent of **Process journal reports** in Enterprise Vault 12.2 or earlier releases.
- **Discard journal reports for all archives**
This is the equivalent of **Discard journal reports** in Enterprise Vault 12.2 or earlier releases.

For information about each of these values, see the section, "Journal report processing (Advanced SMTP policy setting)", in the *Administrator's Guide*.

Checking the "Selective Journal Archiving" site setting

Selective SMTP Journaling was enhanced in Enterprise Vault 12.2 to give greater control over where the archiving task stores messages. If you are upgrading from Enterprise Vault 12.1 or earlier, check that the value assigned to the advanced SMTP site setting, **Selective Journal Archiving**, is the one that you want. It can have the following values:

- **Non-selective**
This is the equivalent of **No** in Enterprise Vault 12.1 or earlier releases. If the setting value was **No** before upgrading, then the value **Non-selective** is assigned during the upgrade.

- **Inclusive**

This is the equivalent of **Yes** in Enterprise Vault 12.1 or earlier releases. If the setting value was **Yes** before upgrading, then the value **Inclusive** is assigned during the upgrade.

- **Exclusive**

This value was introduced at Enterprise Vault 12.2.

A detailed description of the effect of these values is provided in the section, "Configuring the SMTP site setting, Selective Journal Archiving", in the *Setting up SMTP Archiving* guide.

Note that Selective SMTP Journaling is now called SMTP Group Journaling in Enterprise Vault 12.3.

Implementing Skype for Business and SMTP Archiving

Enterprise Vault Skype for Business Archiving uses the SMTP Archiving task and the associated SMTP holding folder. If you are planning to implement both Skype for Business Archiving and SMTP Archiving, then check that adequate disk space is available for the holding folder.

About upgrading legacy SMTP archiving components

Enterprise Vault 11.0.1 introduced a completely new version of SMTP Archiving. The new implementation does not require the Windows SMTP service or File System Archiving.

If you use a legacy version of Enterprise Vault SMTP Archiving, that version can run concurrently with the new version. The legacy version and the new version must use different port numbers.

If you want to continue to use the legacy Enterprise Vault SMTP Archiving components, install the Enterprise Vault 12.3 SMTP Archiving components, and rerun the legacy Enterprise Vault SMTP Archiving configuration process.

For guidance on how to migrate from the legacy version of SMTP Archiving to the new version, see [Migrating from the Legacy SMTP Archiving Solution](#).

Upgrading your Enterprise Vault sites to use Enterprise Vault Search

This chapter includes the following topics:

- [About Enterprise Vault Search](#)
- [Server requirements for Enterprise Vault Search](#)
- [Defining search policies for Enterprise Vault Search](#)
- [Allowing privileged Enterprise Vault Search users to restore items to other users' mailboxes](#)
- [Setting up provisioning groups for Enterprise Vault Search](#)
- [Creating and configuring Client Access Provisioning tasks for Enterprise Vault Search](#)
- [Configuring user browsers for Enterprise Vault Search](#)
- [Configuring Enterprise Vault Search for use in Forefront TMG and similar environments](#)
- [Setting up Enterprise Vault Search Mobile edition](#)

About Enterprise Vault Search

Note: You need only follow the instructions in this chapter if you want to upgrade an Enterprise Vault site in which Enterprise Vault Search was not previously available.

Enterprise Vault Search enables client users to browse and search their archives. This feature replaces the legacy search applications: Archive Explorer, Browser Search, and Integrated Search, which are no longer available.

Server requirements for Enterprise Vault Search

Each Enterprise Vault server requires the Net.Tcp Listener Adapter service (NetTcpActivator) for Enterprise Vault Search. This service requires the following Windows Communication Foundation (WCF) Activation features:

- HTTP Activation
- Non-HTTP Activation

The Prepare My System option in the Enterprise Vault Install Launcher automatically installs these features, if they are not already installed. However, if you do not want to use the Prepare My System option, you can manually install the WCF Activation features.

To add the requirements for Enterprise Vault Search manually

- 1 Click **Start > Control Panel > Turn Windows features on or off**.
The **Add Roles and Features** wizard starts.
- 2 Click **Next** until the **Features** page is shown.
- 3 Expand **.NET Framework 4.5 Features**.
- 4 Expand **WCF Services**.
- 5 Select **HTTP Activation** and then click **Install**.
- 6 Work through to the end of the wizard.

Defining search policies for Enterprise Vault Search

A search policy defines the range of Enterprise Vault Search facilities that you want to make available to users. With a search policy, you can choose to let Enterprise Vault Search users do the following:

- Show the reading pane. This pane displays a preview of the currently selected item in Enterprise Vault Search. For performance reasons, you may want to hide the reading pane to stop recalls from slow storage media, such as tape or optical disks.
- Export the items that are listed in Enterprise Vault Search to an `.nsf`, `.pst`, or `.zip` file, depending on the archive type.
Some export formats are appropriate for use with certain types of items only. For example, it is not possible to export Outlook messages to a `.nsf` file, or Notes messages to a `.pst` file. A user who chooses to export both Outlook and Notes messages to a single file can export them to a `.zip` file only.
- Change the retention categories of the items in their archives. Note that some Enterprise Vault features, such as the retention folders and classification features, can override the changes that users make to the retention categories of items. For more information on retention, see the *Administrator's Guide*.
- Copy and move archived items out of an archive, within an archive, and from one archive to another. Choosing to allow these actions also allows users to create, rename, move, and delete folders in their archives.
In addition, choosing to allow users to copy and move archived items out of an archive provides certain privileged users with an additional facility: users who have full access rights to other users' Exchange mailboxes can also restore items from Enterprise Vault journal archives to the **Restored Items** folders in these mailboxes.
See [“Allowing privileged Enterprise Vault Search users to restore items to other users' mailboxes”](#) on page 93.
- Delete archived items. Note that, even if you define a search policy to grant delete permissions, users can only delete items if you have configured the Enterprise Vault site appropriately. In the Administration Console, open the **Site Properties** dialog box for the Enterprise Vault site and then, on the **Archive Settings** tab, ensure that **Users can delete items from their archives** is selected.
- When using the advanced search facilities in Enterprise Vault Search, choose from extra options on the **Select search property** drop-down list. These extra

properties make it easier to build search queries for the items that the Enterprise Vault records management and classification features have tagged.

Installing Enterprise Vault creates a default search policy automatically. You can modify the properties of this default policy and define custom search policies. Then you can assign each policy to a different search provisioning group.

To view and modify the properties of the default search policy

- 1** In the left pane of the Administration Console, expand your Enterprise Vault site.
- 2** Expand the **Policies** container.
- 3** Click the **Search** container.
- 4** In the right pane, right-click **Default Search Policy** and then click **Properties**.

You can change the settings on the **Features** and **Advanced Search** tabs, but you cannot change the settings on the other tabs.

To define a new search policy

- 1** In the left pane of the Administration Console, expand your Enterprise Vault site.
- 2** Expand the **Policies** container.
- 3** Right-click the **Search** container, and then click **New > Policy**.
The **New Search Policy** wizard appears.
- 4** Follow the on-screen instructions. The wizard prompts you to specify the following:
 - The name of the policy and an optional description of it.
 - The Enterprise Vault Search facilities that you want to make available to users.

Allowing privileged Enterprise Vault Search users to restore items to other users' mailboxes

You may want to allow certain privileged users to restore items from Enterprise Vault journal archives to the **Restored Items** folders in other users' Exchange mailboxes. For example, if a user accidentally deletes an important email, a privileged user can search for it in a journal archive and copy the email back into the first user's mailbox. The online Help for Enterprise Vault Search provides instructions on how to do this.

We recommend that you set up dedicated user accounts for these privileged users, instead of extending the privileges that you have awarded to their normal user accounts. This enables the selected users to run Enterprise Vault Search in the normal way for their own purposes, and only log in to it as a privileged user when they need to restore items to other users' mailboxes.

To allow privileged Enterprise Vault Search users to restore items to other users' mailboxes

- 1 In your search policy, enable the option **Allow copy and move out of an archive (Restore)**.
- 2 Ensure that the privileged users have at least Read access to the journal archives. You can do this by editing the properties of each archive with the Vault Administration Console.
- 3 Ensure that the privileged users have full access rights to the Exchange mailboxes to which they may need to restore items.

For example, you can run the `Add-MailboxPermission` cmdlet in the Exchange Management Shell to grant one user full access to another's mailbox. For more information on this cmdlet, see the following article on the Microsoft website:

<https://technet.microsoft.com/en-us/library/bb124097.aspx>

Setting up provisioning groups for Enterprise Vault Search

A search provisioning group identifies the users and user groups to whom you want to assign a search policy for Enterprise Vault Search. After you install Enterprise Vault, a default search provisioning group is available with which you can assign the default search policy to all users. If you want to assign a custom search policy to selected users or groups, you must set up a custom provisioning group. The default provisioning group continues to target those users whom you do not assign to a custom provisioning group.

You can set up any number of custom provisioning groups for different sets of targets. However, each provisioning group can target the users in one Active Directory domain or Domino domain, so you require at least as many groups as you have domains.

To view the properties of the default search provisioning group

- 1 In the left pane of the Administration Console, expand your Enterprise Vault site.
- 2 Expand the **Client Access** container and then expand the **Search** container.

- 3 Click the **Provisioning Groups** container.
- 4 In the right pane, right-click **Default Search Provisioning Group** and then click **Properties**.

You cannot amend any of the properties.

To set up a custom search provisioning group

- 1 In the left pane of the Administration Console, expand your Enterprise Vault site.
- 2 Expand the **Client Access** container and then expand the **Search** container.
- 3 Right-click the **Provisioning Groups** container, and then click **New > Active Directory Provisioning Group** or **New > Domino Provisioning Group**.

The **New Search Provisioning Group** wizard appears.

- 4 Complete the fields and then click **Create Provisioning Group**. The wizard prompts you to specify the following:
 - The name of the provisioning group.
 - The search policy to assign.
 - The domain to which the provisioning group applies. You can enter the details of a new domain, if necessary.
 For an Active Directory domain, you must choose a trusted domain in your environment and optionally specify the required Global Catalog server. For a Domino domain, you must specify the name and password for the ID file that Enterprise Vault will use to access the domain, and the fully-distinguished name of any Domino server in the domain.
 - The targets (individual users and user groups) of the provisioning group.
 - The Enterprise Vault server that is to host the Client Access Provisioning task for this provisioning group. This task applies the required search policy to the targets of the provisioning group. You can host the task on any Enterprise Vault server in your site. However, if the task is to provision a Domino domain then you must ensure that Notes is installed on the server. Enterprise Vault creates the task automatically if one does not already exist for the nominated domain.

The provisioning group takes effect when the Client Access Provisioning task has run.

Changing the order in which Enterprise Vault processes the search provisioning groups

When you set up a search provisioning group, it automatically has the highest ranking in its domain. In consequence, Enterprise Vault processes the new provisioning group before it processes any other groups in the domain. You can change the order in which Enterprise Vault processes the provisioning groups, if necessary.

To change the order in which Enterprise Vault processes the search provisioning groups

- 1 In the left pane of the Administration Console, expand your Enterprise Vault site.
- 2 Expand the **Client Access** container and then expand the **Search** container.
- 3 Click the **Provisioning Groups** container.
- 4 Right-click a blank area of the right pane, and then click **Properties**.
The **Provisioning Groups Properties** dialog box appears.
- 5 In the **Provisioning Groups** list, click a group and then click **Move Up** or **Move Down** to raise or lower its priority.

If users are the targets of multiple provisioning groups, Enterprise Vault processes them as members of the topmost group only. Thereafter, Enterprise Vault ignores these users when it processes the lower priority provisioning groups.

Creating and configuring Client Access Provisioning tasks for Enterprise Vault Search

You require one Client Access Provisioning task for each Active Directory domain or Domino domain in which you want to apply search policies for Enterprise Vault Search. At specified times each day, the task applies the required search policy to users who are the targets of a provisioning group with which you have associated the task. You can host the task on any Enterprise Vault server in your site. However, if the task is to provision a Domino domain then you must ensure that Notes is installed on the server.

Besides processing the search provisioning groups for a domain, a Client Access Provisioning task also processes the domain's IMAP (Exchange Mailbox or Internet Mail) provisioning groups. These two types of provisioning group differ slightly in how the task processes them, in the event that the task is stopped before it has finished assigning the required policies to the target users.

- For a search provisioning group, the task does not assign the search policy to any users. When the task next runs, it starts from the beginning and assigns the policy to all users.
- For an IMAP provisioning group, those users to whom the task assigned a policy before it stopped retain that policy; the other users are not provisioned. However, when the task next runs, it starts from the beginning and reassigns the policy to all users.

If a suitable Client Access Provisioning task does not exist when you set up a search provisioning group, Enterprise Vault automatically creates one. However, you can manually create and configure this task at any time.

To create and configure a Client Access Provisioning task for Enterprise Vault Search

- 1** In the left pane of the Administration Console, find and then expand the **Enterprise Vault Servers** container.
- 2** Expand the container for the server to which you want to add the Client Access Provisioning task.
- 3** Right-click the **Tasks** container, and then click **New > Client Access Provisioning Task**.

The **New Client Access Provisioning Task** dialog box appears.

- 4** Complete the fields and then click **OK**. The dialog box prompts you to specify the following:
 - The domain with which to associate the task.
 - The name of the task.
 - Whether to start the task now. If you want to configure the task before it starts, turn off this option and follow the instructions in step [5](#).
 The settings that you can configure include the times at which the task runs each day and the level of reporting that it undertakes for each provisioning run.

- 5** To configure the task, right-click it in the right pane, and then click **Properties**.
 The online Help provides detailed information on each field in the properties dialog box.

Configuring user browsers for Enterprise Vault Search

Client users require an HTML5-compatible web browser to benefit from all the new features in Enterprise Vault Search. Older browsers are supported, but the client experience may be compromised.

For the latest information on supported web browsers, see the Enterprise Vault [Compatibility Charts](#).

Enterprise Vault Search uses the browser's language for the default time and date format in advanced search, the reading pane, and search results. If the browser is set to a language that is not supported, Enterprise Vault Search defaults to English (US). You may want to use a Group Policy Object (GPO) to set the Internet Explorer language for users. Note that users can change their Enterprise Vault Search language in their Enterprise Vault Search regional preferences.

Most users should not experience any problems when they access Enterprise Vault Search. However, they must set the following in their browsers to use Enterprise Vault Search:

- Allow cookies and local storage.
- Enable JavaScript.
- Disable private browsing or the settings that prevent their browsers from storing data about their browsing.
- If an option to not save encrypted pages to disk is available, disable it.

You can also minimize potential problems by configuring their web browsers to treat Enterprise Vault Search as a trusted site. How you do this varies from one browser to another, but the procedure for Internet Explorer is as described below.

If you use Active Directory, you can employ a group policy to apply the zone change to all the domain users. To do this, you must edit the Internet Explorer Maintenance settings within the policy.

To configure Internet Explorer to trust Enterprise Vault Search

- 1 On the client computer, open Internet Explorer.
- 2 On the **Tools** menu, click **Internet Options**.
- 3 Click the **Security** tab.
- 4 Click **Trusted sites**, and then click **Sites**.

- 5 Enter the fully-qualified domain name of the server on which you installed Enterprise Vault Search, and then click **Add**. For example, you might type **vault.company.com**.
- 6 Close the **Trusted sites** dialog box, and then close the **Internet Options** dialog box.

Configuring the Block Untrusted Fonts feature in Windows 10

Enterprise Vault Search uses font icons from the third-party Font Awesome toolkit. Windows 10 includes a Block Untrusted Fonts feature which stops applications from loading untrusted fonts (third-party fonts that are not installed in the %windir%/Fonts folder). Turning on this feature may cause the font icons in Enterprise Vault Search to disappear.

For information on the Block Untrusted Fonts feature, and guidelines on how to stop it from being applied to selected applications, see the following article on the Microsoft website:

<https://technet.microsoft.com/en-us/itpro/windows/keep-secure/block-untrusted-fonts-in-enterprise>

Configuring Enterprise Vault Search for use in Forefront TMG and similar environments

By default, Enterprise Vault Search implements security best practices for all supported browsers. In some environments, these restrictions can affect the functionality of Enterprise Vault Search. For example, if you implement forms-based authentication through Forefront Threat Management Gateway (TMG), the reading pane of Enterprise Vault Search may contain the logon screen rather than a preview of the selected item.

This issue arises because Enterprise Vault Search uses an attribute to enforce the Restricted Sites zone settings in the reading pane. In fact, this mechanism is needed for Internet Explorer 9 and earlier only; version 10 and later uses a different security mechanism, which Enterprise Vault Search also implements. However, because version 10 and later still respects the older security mechanism, the reading pane does not work in these later versions either. So, if your users do not run Internet Explorer 9 and earlier, you can configure Enterprise Vault to not use the attribute to enforce the Restricted Sites zone settings. The reading pane then works without reducing security.

To configure Enterprise Vault Search for use in Forefront TMG and similar environments

- 1 Locate the following file on the Enterprise Vault server:

```
C:\Program Files (x86)\Enterprise  
Vault\EVSearch\EVSearchClient\Web.config
```

- 2 Open the file in a text editor such as Windows Notepad.
- 3 Find the following line, and change the value from 1 to 0:

```
<add key="UseRestrictedSecurity" value="1"/>
```

A value of 1 enforces the security restrictions, whereas 0 relaxes them.

- 4 Save and close the file.

Setting up Enterprise Vault Search Mobile edition

Designed for use on Android, iOS, and Windows Mobile devices, Enterprise Vault Search Mobile edition enables users to access their archives through the web browsers on their smartphones. Those users for whom you provision Enterprise Vault Search on the desktop and tablet can also run the Mobile edition on their smartphones.

Enterprise Vault Search Mobile edition is a browser-based application that you deploy for intranet or Internet access using Microsoft Internet Information Services (IIS).

Caution: You can install the required components on the Enterprise Vault server. However, if you want to give your users Internet access to Enterprise Vault Search without exposing your Enterprise Vault server to unnecessary security risks, it is advisable to install the components on a proxy server.

Carrying out preinstallation tasks for Enterprise Vault Search Mobile edition

Before installing Enterprise Vault Search Mobile edition, you must perform the following tasks:

- If you want to install Enterprise Vault Search Mobile edition on a proxy server, ensure that the server meets the minimum requirements.
See [“Requirements for installing Enterprise Vault Search Mobile edition on a proxy server”](#) on page 101.
- Obtain a digital certificate from a certification authority for setting up HTTPS.

- In a configuration providing direct access to the Enterprise Vault Search web server from the Internet, do the following:
 - Verify that the firewall or firewalls are configured to allow HTTPS access to the server on which you plan to install Enterprise Vault Search Mobile edition.
 - Configure any reverse proxy server that is installed in the DMZ.
 - Ensure that the browsers of end-users are configured to allow cookies and local storage, enable JavaScript, and disable private browsing.

Requirements for installing Enterprise Vault Search Mobile edition on a proxy server

Caution: To maximize security, install Enterprise Vault Search on a reverse proxy server or protect the server with Microsoft Threat Management Gateway (TMG).

You can install Enterprise Vault Search Mobile edition on a proxy server on which you have also installed the following:

- One of the following versions of Windows:
 - Windows Server 2012
 - Windows Server 2012 R2
 - Windows Server 2016

The server must have an NTFS file system.

- The Enterprise Vault API Runtime. The process of installing Enterprise Vault Search Mobile edition on the proxy server automatically installs the API Runtime, if it is not already present.
- Internet Information Services (IIS) 7.5 or later.
 The following table lists the minimum set of role services that you must install for the Web Server (IIS) role.

Common HTTP Features	<ul style="list-style-type: none"> ■ Static Content ■ Directory Browsing ■ HTTP Errors ■ HTTP Redirection
Application Development	<ul style="list-style-type: none"> ■ ASP.NET ■ ISAPI Extensions ■ ISAPI Filters

Health and Diagnostics	<ul style="list-style-type: none"> ■ HTTP Logging ■ Logging Tools
Security	<ul style="list-style-type: none"> ■ Request Filtering
Performance	<ul style="list-style-type: none"> ■ Static Content Compression
Management Tools	<ul style="list-style-type: none"> ■ IIS Management Console

- Microsoft .NET Framework 4.5.2.

The Windows Communication Foundation (WCF) HTTP Activation feature must be installed and enabled. You do not need to install and enable the non-HTTP Activation feature.

In addition, you must ensure the following:

- The proxy server is part of a Windows domain.
- Distributed COM (DCOM) is enabled.
- Port 135 is open on the firewall.
- None of the following is also installed on the proxy server:
 - The Enterprise Vault server software
 - Microsoft SQL Server
 - Microsoft Exchange Server (the target system for Enterprise Vault archiving)

Disabling unsafe cryptographic protocols and cipher suites

If you want to give your users Internet access to Enterprise Vault Search without exposing your proxy server to unnecessary security risks, you can disable unsafe cryptographic protocols and cipher suites on the server.

When a client device uses HTTPS to connect to Enterprise Vault Search on a proxy server, the client and server negotiate a common cryptographic protocol to help secure the channel. If the client and server have multiple protocols in common, Internet Information Services (IIS) tries to secure the channel with one of the protocols that IIS supports. However, some protocols are stronger than others; to maximize the security of your environment, you may therefore want to disable the weak protocols in favor of stronger, Veritas-approved alternatives.

You can comply with Veritas recommendations by configuring the cryptographic protocols and cipher suites on your proxy server as follows:

- Enable the TLS 1.1 and 1.2 protocols.
- Disable the SSL 2.0 and 3.0 protocols.

- Disable the RC2, RC4, and DES cipher suites.

The following articles in the Microsoft Knowledge Base provide guidelines on how to implement these changes:

- <http://support.microsoft.com/kb/187498>
- <http://support.microsoft.com/kb/245030>

Installing Enterprise Vault Search Mobile edition

Whether you want to install the required components for Enterprise Vault Search Mobile edition on the Enterprise Vault server or on a proxy server, follow the steps below.

To install Enterprise Vault Search Mobile edition

- 1 On the server where you want to install Enterprise Vault Search Mobile edition, log in as the Vault Service account.
- 2 Load the Enterprise Vault installation media.
- 3 Do one of the following:
 - If an AutoPlay dialog box appears, click **Run Setup.exe**.
 - If AutoPlay is not enabled, use Windows Explorer to open the root folder of the installation media and then double-click the file `Setup.exe`.
- 4 In the left pane of the Veritas Enterprise Vault Install Launcher, click **Enterprise Vault**.
- 5 Click **Server Installation**.
- 6 Choose the required installation option.

To install Enterprise Vault Search Mobile edition on a proxy server, choose **Installation on an additional server**.

- 7 Follow the instructions in the Enterprise Vault installation wizard.

When the wizard prompts you to select the features that you want to install, do one of the following:

- For installation on a proxy server, clear all the options except for **Search Access Components**.

When you click **Next**, the wizard requests the Vault Site alias. This alias is the DNS alias for the Enterprise Vault site.

- For installation on an Enterprise Vault server, choose all the required components.

If you choose to install the Enterprise Vault services, or you have previously installed them on this server, then you cannot clear the **Search Access Components** option. The components will be automatically installed.

- 8 Follow the on-screen instructions to complete the remaining steps in the installation wizard.
- 9 Ensure the Enterprise Vault Search web application is configured for HTTPS to secure transmitted data.

On the Enterprise Vault server and on the proxy server, the Enterprise Vault Search web application is configured in the Default Web Site in IIS. In a new Enterprise Vault installation of 12.3 or later, Enterprise Vault automatically configures HTTPS on port 443 as default. If SSL is not already configured on the Default Web Site, Enterprise Vault configuration creates and installs a self-signed certificate, and adds an HTTPS binding on port 443 using the certificate. On an Enterprise Vault server, the configuration wizard then enables SSL on all of the Enterprise Vault virtual directories. On a proxy server, the configuration wizard enables SSL on the virtual directory, `EnterpriseVault\Search`.

We recommend that you replace the self-signed certificate as soon as possible with one obtained from a trusted authority.

If you have already installed a certificate and configured a valid HTTPS binding on port 443, then Enterprise Vault configuration uses the existing binding.

If you are upgrading from a version of Enterprise Vault that is earlier than 12.3, then Enterprise Vault does not change the existing IIS configuration on the Enterprise Vault server or proxy server. If HTTPS is not already configured for Enterprise Vault virtual directories, then you need to do this manually on the Enterprise Vault server and on the proxy server.

Configuring the maximum number of permitted login attempts to Enterprise Vault Search Mobile edition

By default, users who make five unsuccessful attempts to log in to Enterprise Vault Search Mobile edition are barred for 24 hours from making further login attempts from the same device. You can configure the maximum number of login attempts that you want to permit and the number of hours for which barred users are locked out.

To configure the maximum number of permitted login attempts

- 1 Locate the following file on the Enterprise Vault server:

```
C:\Program Files (x86)\Enterprise  
Vault\EVSearch\EVSearchClient\Web.config
```

- 2 Open the file in a text editor such as Windows Notepad.
- 3 Find the following lines and change the values to the required ones.

```
<add key="EVSMobileMaxFailedAttemptsAllowed" value="5" />  
<add key="EVSMobileLoginRestrictedTimeoutInHours" value="24" />
```

- 4 Save and close the file.

Verifying the installation of Enterprise Vault Search Mobile edition

Before you make Enterprise Vault Search Mobile edition available to users, follow the steps below to verify the installation.

To verify the installation of Enterprise Vault Search Mobile edition

- 1 Open a web browser on a smartphone that has Internet access.
- 2 In the **Address** field, enter the Mobile Search URL as follows:

```
https://server/enterprisevault/search
```

Where *server* is the name or IP address of the server on which you installed the search components.

- 3 Click **Go** or press **Enter** to display the Sign In page.
- 4 Enter the details of a user who has access to at least one archive.
- 5 Click **Sign In**.

If your authentication is valid, you see the home page of Enterprise Vault Search.

- 6 Perform a search to verify that Enterprise Vault Search can return search results.
- 7 Click a message in the search results and verify that you can see its contents.

Upgrading Enterprise Vault API applications

This chapter includes the following topics:

- [Upgrading any applications that use the Enterprise Vault API Runtime](#)

Upgrading any applications that use the Enterprise Vault API Runtime

You may have installed a third-party application that uses the Enterprise Vault API to archive proprietary data or filter the data that Enterprise Vault stores. After upgrading Enterprise Vault, you may need to perform the following additional tasks to upgrade these applications:

- If the application uses the Enterprise Vault API Runtime, you need to update the API Runtime on each computer that hosts the application.
- For a .NET application that uses a specific version of the Enterprise Vault API Runtime, you need to update the binding redirections in the application's configuration file.

For instructions on how to update the binding redirections, see the document `ReadMeFirst_en.htm`. The document is located with the API Runtime kit in the `API Runtime` folder on the Enterprise Vault media.